

1 保険者の特性

(1)人口☆

人口の推移(年齢階級別)						対象:全人口					
年度	総数[人]	39歳以下		40-64歳		65-74歳		75歳以上			
		人数[人]	率[%]	人数[人]	率[%]	人数[人]	率[%]	人数[人]	率[%]		
H25	1,041	246	23.6	305	29.3	154	14.8	326	31.3		
H26	1,027	241	23.5	291	28.3	155	15.1	330	32.1		
H27	1,004	222	22.1	284	28.3	160	15.9	325	32.4		
H28	976	211	21.6	276	28.3	163	16.7	316	32.4		
H29	952	202	21.2	261	27.4	170	17.9	309	32.5		
H30	952	202	21.2	261	27.4	170	17.9	309	32.5		
R01	895	180	20.1	242	27.0	162	18.1	298	33.3		
R02	873	180	20.6	229	26.2	173	19.8	276	31.6		
R03	883	203	23.0	214	24.2	185	21.0	270	30.6		
R04	865	204	23.6	195	22.5	186	21.5	261	30.2		

(3)高齢化率☆

高齢化率(65歳以上の割合)				対象:全人口・国保被保険者		
年度	高齢化率(政府統計情報より)			国保被保険者の高齢化率(KDBより)※参考		
	根羽村	飯伊圏域	県	根羽村	飯伊圏域	県
H25	46.1	30.3	27.9			
H26	47.2	31.0	28.8			
H27	48.3	31.6	29.5			
H28	49.1	32.0	30.0			
H29	50.3	32.4	30.5			
H30	50.3	32.4	30.5	60.3	46.7	46.6
R01	51.4	33.2	31.2	57.2	47.7	47.1
R02	51.4	33.6	31.6	59.5	48.5	48.1
R03	51.5	34.0	31.9	62.6	49.3	48.6
R04	51.7	34.1	32.1	66.8	48.7	47.6

(2)国保被保険者の構成☆

国保被保険者(年齢階級別)の推移												対象:国保被保険者							
年度	総数[人]	39歳以下						40-64歳						65-74歳					
		計		男		女		計		男		女		計		男		女	
H30	204	25	12.3	16	13.6	9	10.5	56	27.5	33	28.0	23	26.7	123	60.3	69	58.5	54	62.8
R01	208	27	13.0	14	11.6	13	14.9	62	29.8	38	31.4	24	27.6	119	57.2	69	57.0	50	57.5
R02	220	35	15.9	18	14.2	17	18.3	54	24.5	32	25.2	22	23.7	131	59.5	77	60.6	54	58.1
R03	222	42	18.9	19	15.6	23	23.0	41	18.5	24	19.7	17	17.0	139	62.6	79	64.8	60	60.0
R04	199	24	12.1	11	10.1	13	14.4	42	21.1	23	21.1	19	21.1	133	66.8	75	68.8	58	64.4

2 健康指標の状況

(1)平均寿命・健康寿命☆

ア 男性						イ 女性											
平均寿命の推移						健康寿命の推移						平均寿命と健康寿命の差					
※KDBでは平均余命と表示 [歳]						※KDBでは平均自立期間と表示 [歳]						[歳]					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	H30	R01	R02	R03	R04	
根羽村	75.9	81.7	80.6	85.4	81.7	根羽村	74.6	80.3	79.3	82.6	79.6	根羽村	1.3	1.4	1.3	2.8	2.1
飯伊圏域	81.6	82.0	82.0	82.5	83.4	飯伊圏域	80.2	80.5	80.5	81.0	81.8	飯伊圏域	1.4	1.5	1.5	1.5	1.6
県	82.0	82.1	82.5	82.5	82.5	県	80.6	80.7	81.0	81.1	81.1	県	1.4	1.4	1.5	1.4	1.4

イ 女性						平均寿命と健康寿命の差											
平均寿命の推移						健康寿命の推移						平均寿命と健康寿命の差					
※KDBでは平均余命と表示 [歳]						※KDBでは平均自立期間と表示 [歳]						[歳]					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	H30	R01	R02	R03	R04	
根羽村	89.9	91.0	89.7	89.7	90.6	根羽村	87.3	87.4	86.9	86.6	86.9	根羽村	2.6	3.6	2.8	3.1	3.7
飯伊圏域	87.9	88.1	87.2	87.7	88.5	飯伊圏域	84.6	85.0	84.1	84.6	85.3	飯伊圏域	3.3	3.1	3.1	3.1	3.2
県	87.8	87.8	88.0	87.9	88.3	県	84.6	84.7	84.9	84.9	85.2	県	3.2	3.1	3.1	3.0	3.1

(2)死因

ア 死因別死亡率☆ ※心疾患・脳血管疾患・腎不全は共通情報

死因別死亡率の推移											対象:全人口 根羽村				
死因別	根羽村										県内順位				
	死亡率[%]					H30					H30	R01	R02	R03	R04
心疾患	17.4	18.8	23.1	26.7	3.7	24位	12位	8位	1位	77位					
脳血管疾患	4.3		11.5		11.1	76位	76位	17位	75位	9位					
腎不全	4.3					3位	58位	54位	58位	62位					
がん(悪性新生物)(再掲)	17.4	37.5	11.5	33.3	18.5	68位	1位	73位	4位	56位					
大腸がん		12.5		6.7	3.7										
胃がん	4.3	6.3	7.7	6.7											
肺がん		12.5		6.7	3.7										

死因別死亡率の推移											対象:全人口 飯伊圏域					対象:全人口 県				
死因別	飯伊圏域										二次医療圏内順位					県				
	死亡率[%]					H30					H30	R01	R02	R03	R04	H30	R01	R02	R03	R04
心疾患	15.4	13.7	14.9	13.8	14.8	3位	2位	5位	1位	14位	15.6	14.9	14.5	14.3	14.9					
脳血管疾患	12.0	10.9	11.3	10.3	9.2	13位	14位	8位	13位	2位	9.5	9.4	9.1	8.8	8.3					
腎不全	1.9	2.3	1.3	1.9	1.7	3位	11位	4位	10位	10位	1.6	1.5	1.5	1.6	1.7					
がん(悪性新生物)(再掲)	23.0	23.3	23.0	21.5	20.5	10位	1位	12位	2位	9位	24.8	24.2	25.1	24.1	22.2					
大腸がん	3.3	3.7	3.2	3.7	3.3						3.6	3.3	3.4	3.3	3.2					
胃がん	3.0	2.5	2.8	2.2	1.7						2.8	2.8	2.8	2.6	2.4					
肺がん	3.8	4.0	3.7	3.0	4.1						4.1	4.1	4.3	4.2	3.9					

イ 標準化死亡比☆ ※男性、女性は共通知報

		対象：全人口				
H25-H29		根羽村	飯田保健所	県		
性別	男性	87,932	90,583	90.47		
	女性	93,796	92,342	93.804		
死因別	心疾患	男性	82.4	88.6	91.8	
		女性	90.1	80.0	88.8	
	脳血管疾患	男性	103.9	120.9	110.6	
		女性	100.5	126.9	120.8	
	腎不全	男性	67.0	95.6	74.9	
		女性	63.6	85.0	70.3	
	がん(悪性新生物)	男性	83.2	84.3	84.9	
		女性	86.4	82.0	89.8	
	(再掲)	大腸がん	男性	87.0	88.4	87.2
			女性	91.9	88.5	94.0
胃がん		男性	87.5	87.4	83.3	
		女性	83.5	82.8	88.5	
肺がん		男性	74.0	72.1	74.8	
		女性	76.6	76.6	73.8	

(3) 介護

ア 要介護(要支援)認定率☆

イ 介護給付費☆

		[%]					
	1号(65歳以上)認定率			2号(40~64歳)認定率			
	根羽村	圏域	県	根羽村	圏域	県	
H30	19.2	18.7	18.0	0.4	0.3	0.3	
R01	19.2	18.8	18.2	0.5	0.3	0.3	
R02	19.3	18.4	18.2	0.7	0.3	0.3	
R03	19.7	18.2	18.2	0.4	0.3	0.3	
R04	20.5	17.8	17.7	0.1	0.3	0.3	

		H30	R01	R02	R03	R04
根羽村	給付費総額[円]	170,155,434	188,977,319	193,432,923	195,566,289	189,618,034
	一件当たり給付費[円]	76,269	85,202	80,496	80,052	79,206
飯伊圏域	給付費総額[円]	16,662,972,142	16,867,441,918	17,031,846,630	17,266,886,512	17,111,011,982
	一件当たり給付費[円]	62,057	62,418	63,728	63,596	62,775
県	給付費総額[円]	179,048,179,364	182,286,417,449	185,738,106,292	187,274,951,627	186,555,887,417
	一件当たり給付費[円]	62,215	62,530	63,476	63,158	62,434

(4) 医療費

ア 高額医療費分析

(ア) 高額レセプト(80万円以上)状況☆

a 脳血管疾患

		H30	R01	R02	R03	R04
根羽村	レセプト件数(80万円以上のうち脳血管疾患主病)	0	0	0	0	1
	医療費(脳血管疾患主病)[円]	0	0	0	0	3,206,510
	レセプト一件あたり医療費(脳血管疾患主病)[円]	0	0	0	0	3,206,510
	総医療費(80万円以上)[円]	9,790,220	11,833,920	4,000,370	8,436,470	19,450,070
	総医療費(80万円以上)に占める割合[%]	0.0	0.0	0.0	0.0	16.5
飯伊圏域	レセプト件数(80万円以上のうち脳血管疾患主病)	149	184	164	137	138
	医療費(脳血管疾患主病)[円]	199,656,290	255,644,890	248,847,900	204,385,960	207,896,100
	レセプト一件あたり医療費(脳血管疾患主病)[円]	1,339,975	1,389,374	1,517,365	1,491,868	1,506,493
	総医療費(80万円以上)[円]	2,401,629,410	2,441,614,420	2,611,429,920	2,783,401,620	2,659,413,990
	総医療費(80万円以上)に占める割合[%]	8.3	10.5	9.5	7.3	7.8
県	レセプト件数(80万円以上のうち脳血管疾患主病)	2,086	1,834	2,081	2,057	1,873
	医療費(脳血管疾患主病)[円]	2,858,398,130	2,499,410,590	2,870,803,480	2,803,895,410	2,594,901,810
	レセプト一件あたり医療費(脳血管疾患主病)[円]	1,370,277	1,362,819	1,379,531	1,363,099	1,385,425
	総医療費(80万円以上)[円]	33,954,886,410	34,564,456,280	35,604,208,850	37,631,701,530	37,243,674,620
	総医療費(80万円以上)に占める割合[%]	8.4	7.2	8.1	7.5	7.0

b 虚血性心疾患

		H30	R01	R02	R03	R04
根羽村	レセプト件数(80万円以上のうち虚血性心疾患主病)	1	1	0	0	0
	医療費(虚血性心疾患主病)[円]	899,660	923,920	0	0	0
	レセプト一件あたり医療費[円]	899,660	923,920	0	0	0
	総医療費(80万円以上)[円]	9,790,220	11,833,920	4,000,370	8,436,470	19,450,070
	総医療費(80万円以上)に占める割合[%]	9.2	7.8	0.0	0.0	0.0
飯伊圏域	レセプト件数(80万円以上のうち虚血性心疾患主病)	53	62	42	60	28
	医療費(虚血性心疾患主病)[円]	75,246,670	95,986,560	67,159,780	100,202,880	47,928,950
	レセプト一件あたり医療費[円]	1,419,748	1,548,170	1,599,042	1,670,048	1,711,748
	総医療費(80万円以上)[円]	2,401,629,410	2,441,614,420	2,611,429,920	2,783,401,620	2,659,413,990
	総医療費(80万円以上)に占める割合[%]	3.1	3.9	2.6	3.6	1.8
県	レセプト件数(80万円以上のうち虚血性心疾患主病)	927	873	858	879	679
	医療費(虚血性心疾患主病)[円]	1,452,581,430	1,382,356,090	1,310,254,350	1,408,264,760	1,087,558,190
	レセプト一件あたり医療費[円]	1,566,970	1,583,455	1,527,103	1,602,121	1,601,706
	総医療費(80万円以上)[円]	33,954,886,410	34,564,456,280	35,604,208,850	37,631,701,530	37,243,674,620
	総医療費(80万円以上)に占める割合[%]	4.3	4.0	3.7	3.7	2.9

(イ)人工透析患者の医療費☆

		H30	R01	R02	R03	R04
根羽村	人工透析レセプト件数	0	6	12	12	12
	人工透析レセプト医療費[円]	0	2,089,730	4,924,130	4,717,100	5,408,200
	一件あたり医療費[円]	0	348,288	410,344	393,092	450,683
	総医療費[円]	74,158,030	74,961,870	60,214,410	70,230,470	77,248,840
	総医療費に占める割合[%]	0.0	2.8	8.2	6.7	7.0
飯伊圏域	人工透析レセプト件数	1,547	1,461	1,463	1,425	1,466
	人工透析レセプト医療費[円]	761,534,110	686,158,720	712,144,780	741,073,150	708,743,010
	一件あたり医療費[円]	492,265	469,650	486,770	520,051	483,454
	総医療費[円]	10,439,145,670	10,300,864,060	10,095,032,640	10,460,494,060	10,295,211,060
	総医療費に占める割合[%]	7.3	6.7	7.1	7.1	6.9
県	人工透析レセプト件数	19,481	19,622	19,584	20,126	19,932
	人工透析レセプト医療費[円]	8,983,777,250	9,127,070,260	9,134,925,170	9,312,272,630	8,983,026,350
	一件あたり医療費[円]	461,156	465,145	466,448	462,699	450,684
	総医療費[円]	146,991,428,810	145,716,059,750	140,876,755,460	146,263,856,040	143,516,119,820
	総医療費に占める割合[%]	6.1	6.3	6.5	6.4	6.3

イ 医療費分析

(ア)生活習慣病関連疾患の医療費

												根羽村	
		H30		R01		R02		R03		R04			
		総医療費[円]		74,158,030		74,961,870		60,214,410		70,230,470		77,248,840	
中長期目標	疾患名	医療費[円]	率[%]	医療費[円]	率[%]	医療費[円]	率[%]	医療費[円]	率[%]	医療費[円]	率[%]	医療費[円]	率[%]
		脳出血	0	0.0	0	0.0	175,680	0.3	0	0.0	0	0.0	0
	脳梗塞	630,110	0.8	439,670	0.6	59,970.0	0.1	43,640	0.1	189,440	0.2	189,440	0.2
	狭心症	1,268,140	1.7	2,187,310	2.9	593,240.0	1.0	182,700	0.3	99,140	0.1	99,140	0.1
	心筋梗塞	57,930	0.1	22,800	0.0	0	0.0	0	0.0	20,380	0.0	20,380	0.0
	慢性腎不全(透析有)	0	0.0	1,593,430	2.1	431,230	0.7	0	0.0	0	0.0	0	0.0
	慢性腎不全(透析無)	40,610	0.1	271,570	0.4	0	0.0	0	0.0	44,970	0.1	44,970	0.1
短期目標	糖尿病	3,848,200	5.2	5,185,370	6.9	8,202,900	13.6	9,610,700	13.7	9,787,280	12.7	9,787,280	12.7
	高血圧症	7,150,280	9.6	6,935,100	9.3	6,557,950	10.9	5,718,960	8.1	5,056,470	6.5	5,056,470	6.5
	脂質異常症	3,593,960	4.8	3,994,950	5.3	3,739,060	6.2	3,881,740	5.5	3,880,150	5.0	3,880,150	5.0
その他の疾患	高尿酸血症	0	0.0	198,880	0.3	125,930	0.2	306,860	0.4	77,970	0.1	77,970	0.1
	脂肪肝	12,810	0.0	58,600	0.1	0	0.0	35,130	0.1	0	0.0	0	0.0
	動脈硬化症	15,780	0.0	12,930	0.0	0	0.0	0	0.0	1,120,380	1.5	1,120,380	1.5
	がん	14,016,420	18.9	7,486,160	10.0	3,204,060	5.3	5,506,880	7.8	7,829,110	10.1	7,829,110	10.1
	筋・骨格	5,481,200	7.4	8,473,650	11.3	4,411,290	7.3	8,064,930	11.5	2,831,840	3.7	2,831,840	3.7
	精神	7,895,450	10.6	9,346,380	12.5	6,960,830	11.6	6,431,910	9.2	6,126,410	7.9	6,126,410	7.9
中長期目標	県内順位	H30		R01		R02		R03		R04			
	脳出血	62位		59位		46位		59位		65位			
	脳梗塞	60位		58位		75位		74位		73位			
	狭心症	13位		2位		38位		69位		74位			
	心筋梗塞	45位		51位		52位		57位		58位			
	慢性腎不全(透析有)	72位		60位		70位		72位		72位			
	慢性腎不全(透析無)	58位		19位		68位		67位		46位			

(イ)疾患別一人当たり医療費

a 糖尿病 [円]

	H30	R01	R02	R03	R04
根羽村	18,864	24,930	37,286	43,291	49,182
飯伊圏域	19,209	19,864	20,163	21,513	21,771
県	18,350	18,783	18,929	19,995	20,270

b 高血圧症 [円]

	H30	R01	R02	R03	R04
根羽村	35,050	33,342	29,809	25,761	25,409
飯伊圏域	14,844	14,347	13,866	13,723	13,513
県	12,600	12,086	11,807	11,797	11,525

c 脂質異常症 [円]

	H30	R01	R02	R03	R04
根羽村	17,617	19,206	16,996	17,485	19,498
飯伊圏域	8,407	8,611	7,882	8,180	7,894
県	8,242	8,427	7,859	8,134	7,577

d 高尿酸血症 [円]

	H30	R01	R02	R03	R04
根羽村	0	956	572	1,382	392
飯伊圏域	247	292	259	314	211
県	228	256	231	281	205

(5)有病状況

- ア 有病状況

- (ア)脳血管疾患

- a 患者数・率

Table with columns for year (年度), region (H30, R01, R02, R03, R04), and patient count/rate (患者数[人], 率[%]). Rows include total (総数) and age groups (40-49, 50-59, 60-69, 70-74) for both males and females.

b 脳血管疾患患者の割合(総数・性別)

Summary table showing the percentage of stroke patients by region (根羽村, 飯伊圏域) and gender (男性, 女性) across years H30-R04.

c 脳血管疾患患者の割合(性・年代別)

Summary table showing the percentage of stroke patients by age group (40代, 50代, 60代, 70-74歳) and gender (男性, 女性) across years H30-R04.

d 脳血管疾患患者の併発状況

Table showing the prevalence of stroke patients with other conditions (虚血性心疾患, 人工透析, 高血圧, 糖尿病, 脂質異常症) across regions H30-R04.

(5)有病状況

- ア 有病状況

- (イ)虚血性心疾患

- a 患者数・率

Table with columns for year (年度), region (H30, R01, R02, R03, R04), and patient count/rate (患者数[人], 率[%]). Rows include total (総数) and age groups (40-49, 50-59, 60-69, 70-74) for both males and females.

b 虚血性心疾患患者の割合(総数・性別)

総数						男性						女性					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	7.7	7.6	7.0	6.2	6.6	根羽村	7.5	7.6	6.5	4.3	4.6	根羽村	7.9	7.6	7.6	8.8	9.2
飯伊圏域	6.3	6.1	6.0	6.2	6.0	飯伊圏域	7.3	7.1	7.0	7.2	7.0	飯伊圏域	5.4	5.1	5.0	5.2	5.1
県	7.3	7.2	7.1	7.1	6.8	県	8.6	8.5	8.5	8.4	8.2	県	6.2	5.9	5.8	5.8	5.5

c 虚血性心疾患患者の割合(性・年代別)

男性40代						男性50代						男性60代						男性70-74歳					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	4.2	4.8	5.1	0.0	0.0	根羽村	15.2	13.9	9.8	9.5	9.8
圏域	1.6	1.9	1.8	1.6	1.8	圏域	3.5	2.7	3.1	3.6	3.1	圏域	6.9	7.4	7.0	7.3	7.5	圏域	11.6	10.3	10.2	10.3	9.8
県	1.8	1.9	1.8	1.8	1.7	県	4.2	4.3	4.3	4.4	4.3	県	8.8	8.6	8.5	8.4	8.3	県	13.1	12.8	12.6	12.4	12.2

女性40代						女性50代						女性60代						女性70-74歳					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	25.0	0.0	0.0	0.0	0.0	根羽村	7.4	10.0	7.1	4.8	4.4	根羽村	6.9	6.9	9.7	12.5	14.3
圏域	1.4	0.9	1.1	1.4	1.7	圏域	2.2	2.7	3.0	3.5	3.1	圏域	5.3	5.0	4.7	4.6	4.6	圏域	7.9	7.2	6.9	7.2	7.1
県	1.3	1.2	1.2	1.3	1.1	県	2.7	2.6	2.5	2.8	2.7	県	5.7	5.5	5.4	5.2	5.1	県	9.4	8.8	8.5	8.3	7.9

d 虚血性心疾患患者の併発状況

	虚血性心疾患患者総数	人数[人]	併発状況					虚血性心疾患患者総数	人数[人]	併発状況					虚血性心疾患患者総数	人数[人]	併発状況				
			H30	R01	R02	R03	R04			H30	R01	R02	R03	R04			H30	R01	R02	R03	R04
根羽村	虚血性心疾患患者総数	12	12	11	10	10	飯伊圏域	虚血性心疾患患者総数	1,547	1,439	1,411	1,429	1,311	県	虚血性心疾患患者総数	24,073	22,790	22,425	21,700	19,790	
	率[%]	7.7	7.6	7.0	6.2	6.6		率[%]	6.3	6.1	6.0	6.2	6.0		率[%]	7.3	7.2	7.1	7.1	6.8	
	脳血管疾患	6	4	2	1	2		脳血管疾患	373	342	308	329	280		脳血管疾患	5,434	5,113	5,016	4,759	4,303	
	率[%]	50.0	33.3	18.2	10.0	20.0		率[%]	24.1	23.8	21.8	23.0	21.4		率[%]	22.6	22.4	22.4	21.9	21.7	
	人工透析	0	0	0	0	0		人工透析	45	38	34	35	31		人工透析	564	576	566	548	504	
	率[%]	0.0	0.0	0.0	0.0	0.0		率[%]	2.9	2.6	2.4	2.5	2.4		率[%]	2.3	2.5	2.5	2.5	2.6	
高血圧	12	9	9	8	8	高血圧	1,173	1,095	1,080	1,113	1,011	高血圧	18,752	17,877	17,771	17,276	15,859				
率[%]	100.0	75.0	81.8	80.0	80.0	率[%]	75.8	76.1	76.5	77.9	77.1	率[%]	77.9	78.4	79.3	79.6	80.1				
糖尿病	6	4	4	3	3	糖尿病	613	605	596	616	597	糖尿病	11,297	10,763	10,800	10,507	9,569				
率[%]	50.0	33.3	36.4	30.0	30.0	率[%]	39.6	42.0	42.2	43.1	45.5	率[%]	46.9	47.2	48.2	48.4	48.4				
脂質異常症	8	8	8	8	8	脂質異常症	1,065	1,021	1,001	1,035	939	脂質異常症	17,649	17,039	17,027	16,603	15,359				
率[%]	66.7	66.7	72.7	80.0	80.0	率[%]	68.8	71.0	70.9	72.4	71.6	率[%]	73.3	74.8	75.9	76.5	77.6				

(5)有病状況 - ア 有病状況 - (ウ)人工透析 - a 患者数・率

年度	H30			R01			R02			R03			R04		
	総数	患者数	率	総数	患者数	率	総数	患者数	率	総数	患者数	率	総数	患者数	率
総数	156	0	0.0	158	1	0.6	158	1	0.6	162	1	0.6	152	0	0.0
総数40-49	8	0	0.0	10	0	0.0	9	0	0.0	7	0	0.0	6	0	0.0
総数50-59	11	0	0.0	11	0	0.0	10	0	0.0	9	0	0.0	10	0	0.0
総数60-69	75	0	0.0	72	0	0.0	67	0	0.0	64	0	0.0	60	0	0.0
総数70-74	62	0	0.0	65	1	1.5	72	1	1.4	82	1	1.2	76	0	0.0
(再)総40-64	41	0	0.0	46	0	0.0	40	0	0.0	30	0	0.0	28	0	0.0
(再)総65-74	115	0	0.0	112	1	0.9	118	1	0.9	132	1	0.8	124	0	0.0
男性総数	93	0	0.0	92	1	1.1	92	1	1.1	94	1	1.1	87	0	0.0
男性40-49	5	0	0.0	5	0	0.0	4	0	0.0	4	0	0.0	3	0	0.0
男性50-59	7	0	0.0	9	0	0.0	8	0	0.0	5	0	0.0	6	0	0.0
男性60-69	48	0	0.0	42	0	0.0	39	0	0.0	43	0	0.0	37	0	0.0
男性70-74	33	0	0.0	36	1	2.8	41	1	2.4	42	1	2.4	41	0	0.0
(再)男40-64	26	0	0.0	27	0	0.0	24	0	0.0	16	0	0.0	14	0	0.0
(再)男65-74	67	0	0.0	65	1	1.5	68	1	1.5	78	1	1.3	73	0	0.0
女性総数	63	0	0.0	66	0	0.0	66	0	0.0	68	0	0.0	65	0	0.0
女性40-49	3	0	0.0	5	0	0.0	5	0	0.0	3	0	0.0	3	0	0.0
女性50-59	4	0	0.0	2	0	0.0	2	0	0.0	4	0	0.0	4	0	0.0
女性60-69	27	0	0.0	30	0	0.0	28	0	0.0	21	0	0.0	23	0	0.0
女性70-74	29	0	0.0	29	0	0.0	31	0	0.0	40	0	0.0	35	0	0.0
(再)女40-64	15	0	0.0	19	0	0.0	16	0	0.0	14	0	0.0	14	0	0.0
(再)女65-74	48	0	0.0	47	0	0.0	50	0	0.0	54	0	0.0	51	0	0.0

b 人工透析患者の割合(総数・性別)

総数						男性						女性					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.6	0.6	0.6	0.0	根羽村	0.0	1.1	1.1	1.1	0.0	根羽村	0.0	0.0	0.0	0.0	0.0
圏域	0.4	0.4	0.5	0.4	0.5	圏域	0.6	0.6	0.7	0.7	0.7	圏域	0.3	0.3	0.2	0.2	0.2
県	0.4	0.4	0.4	0.5	0.5	県	0.6	0.6	0.6	0.7	0.7	県	0.3	0.3	0.3	0.3	0.3

c 人工透析患者の割合(性・年代別)

男性40代						男性50代						男性60代						男性70-74歳					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	2.8	2.4	2.4	0.0
圏域	0.5	0.4	0.3	0.4	0.3	圏域	0.7	0.6	0.8	0.8	0.8	圏域	0.6	0.8	0.9	0.8	0.8	圏域	0.5	0.4	0.5	0.6	0.6
県	0.4	0.4	0.4	0.4	0.4	県	0.9	0.9	0.9	1.0	0.9	県	0.7	0.7	0.8	0.8	0.8	県	0.4	0.5	0.5	0.5	0.5

女性40代						女性50代						女性60代						女性70-74歳					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	0.0	0.0	0.0	0.0
圏域	0.2	0.3	0.2	0.1	0.3	圏域	0.3	0.1	0.1	0.3	0.3	圏域	0.3	0.3	0.3	0.2	0.2	圏域	0.3	0.2	0.3	0.2	0.2
県	0.2	0.3	0.2	0.2	0.2	県	0.3	0.3	0.3	0.3	0.3	県	0.3	0.3	0.3	0.3	0.3	県	0.2	0.2	0.2	0.2	0.2

d 人工透析患者の併発状況

		H30 R01 R02 R03 R04							H30 R01 R02 R03 R04							H30 R01 R02 R03 R04				
		人数[人]	率[%]	人数[人]	率[%]	人数[人]			率[%]	人数[人]	率[%]	人数[人]	率[%]			人数[人]	率[%]	人数[人]	率[%]	人数[人]
根羽村	人工透析患者 総数	0	1	1	1	0	人数[人]	107	98	106	102	97	人数[人]	1,322	1,350	1,373	1,376	1,311		
		率[%]	0.0	0.6	0.6	0.6	0.0	率[%]	0.4	0.4	0.5	0.4	0.5	率[%]	0.4	0.4	0.4	0.5	0.5	
	脳血管疾患	0	1	1	1	0	人数[人]	52	48	47	41	39	人数[人]	435	426	422	414	399		
		率[%]	0.0	100.0	100.0	100.0	0.0	率[%]	48.6	49.0	44.3	40.2	40.2	率[%]	32.9	31.6	30.7	30.1	30.4	
	虚血性心疾患	0	0	0	0	0	人数[人]	45	38	34	35	31	人数[人]	564	576	566	548	504		
		率[%]	0.0	0.0	0.0	0.0	0.0	率[%]	42.1	38.8	32.1	34.3	32.0	率[%]	42.7	42.7	41.2	39.8	38.4	
	高血圧	0	1	1	1	0	人数[人]	95	92	98	96	93	人数[人]	1,264	1,297	1,318	1,329	1,269		
	率[%]	0.0	100.0	100.0	100.0	0.0	率[%]	88.8	93.9	92.5	94.1	95.9	率[%]	95.6	96.1	96.0	96.6	96.8		
糖尿病	0	1	1	1	0	人数[人]	45	45	54	51	44	人数[人]	759	774	807	820	779			
	率[%]	0.0	100.0	100.0	100.0	0.0	率[%]	42.1	45.9	50.9	50.0	45.4	率[%]	57.4	57.3	58.8	59.6	59.4		
脂質異常症	0	0	0	0	0	人数[人]	46	41	43	48	47	人数[人]	666	694	717	734	719			
	率[%]	0.0	0.0	0.0	0.0	0.0	率[%]	43.0	41.8	40.6	47.1	48.5	率[%]	50.4	51.4	52.2	53.3	54.8		

(5) 有病状況 - ア 有病状況 - (工) 高血圧症 - a 患者数・率

年度	H30			R01			R02			R03			R04		
	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]
総数	156	71	45.5	158	76	48.1	158	74	46.8	162	74	45.7	152	62	40.8
総数40-49	8	1	12.5	10	0	0.0	9	0	0.0	7	0	0.0	6	0	0.0
総数50-59	11	3	27.3	11	3	27.3	10	4	40.0	9	2	22.2	10	1	10.0
総数60-69	75	32	42.7	72	33	45.8	67	29	43.3	64	26	40.6	60	21	35.0
総数70-74	62	35	56.5	65	40	61.5	72	41	56.9	82	46	56.1	76	40	52.6
(再)総40-64	41	10	24.4	46	14	30.4	40	13	32.5	30	8	26.7	28	4	14.3
(再)総65-74	115	61	53.0	112	62	55.4	118	61	51.7	132	66	50.0	124	58	46.8
男性総数	93	41	44.1	92	46	50.0	92	46	50.0	94	47	50.0	87	39	44.8
男性40-49	5	1	20.0	5	0	0.0	4	0	0.0	4	0	0.0	3	0	0.0
男性50-59	7	1	14.3	9	2	22.2	8	3	37.5	5	1	20.0	6	0	0.0
男性60-69	48	21	43.8	42	21	50.0	39	19	48.7	43	19	44.2	37	14	37.8
男性70-74	33	18	54.6	36	23	63.9	41	24	58.5	42	27	64.3	41	25	61.0
(再)男40-64	26	6	23.1	27	9	33.3	24	8	33.3	16	4	25.0	14	0	0.0
(再)男65-74	67	35	52.2	65	37	56.9	68	38	55.9	78	43	55.1	73	39	53.4
女性総数	63	30	47.6	66	30	45.5	66	28	42.4	68	27	39.7	65	23	35.4
女性40-49	3	0	0.0	5	0	0.0	5	0	0.0	3	0	0.0	3	0	0.0
女性50-59	4	2	50.0	2	1	50.0	2	1	50.0	4	1	25.0	4	1	25.0
女性60-69	27	11	40.7	30	12	40.0	28	10	35.7	21	7	33.3	23	7	30.4
女性70-74	29	17	58.6	29	17	58.6	31	17	54.8	40	19	47.5	35	15	42.9
(再)女40-64	15	4	26.7	19	5	26.3	16	5	31.3	14	4	28.6	14	4	28.6
(再)女65-74	48	26	54.2	47	25	53.2	50	23	46.0	54	23	42.6	51	19	37.3

b 高血圧症患者の割合(総数・性別)

総数						男性						女性					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	45.5	48.1	46.8	45.7	40.8	根羽村	44.1	50.0	50.0	50.0	44.8	根羽村	47.6	45.5	42.4	39.7	35.4
圏域	39.3	39.1	39.8	40.2	39.9	圏域	42.3	42.1	42.9	43.1	43.1	圏域	36.4	36.3	36.9	37.4	36.8
県	37.6	37.7	38.3	38.8	38.6	県	40.2	40.5	41.0	41.7	41.6	県	35.2	35.2	35.7	36.1	35.7

c 高血圧症患者の割合(性・年代別)☆

男性40代						男性50代						男性60代						男性70-74歳					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	20.0	0.0	0.0	0.0	0.0	根羽村	14.3	22.2	37.5	20.0	0.0	根羽村	43.8	50.0	48.7	44.2	37.8	根羽村	54.6	63.9	58.5	64.3	61.0
圏域	10.8	11.6	11.1	12.2	11.8	圏域	26.0	24.4	25.4	26.4	26.8	圏域	45.0	45.0	46.0	46.2	46.6	圏域	58.1	57.3	57.3	56.7	57.1
県	10.3	10.6	10.6	11.1	10.9	県	24.0	24.1	24.4	25.1	25.1	県	44.1	44.1	44.3	45.1	45.3	県	55.4	55.3	55.7	56.2	56.5
女性40代						女性50代						女性60代						女性70-74歳					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	50.0	50.0	50.0	25.0	25.0	根羽村	40.7	40.0	35.7	33.3	30.4	根羽村	58.6	58.6	54.8	47.5	42.9
圏域	7.2	7.3	8.5	8.1	8.5	圏域	17.7	19.3	19.1	21.1	21.3	圏域	36.1	35.2	35.1	35.8	35.2	圏域	52.4	51.2	51.3	51.0	50.3
県	7.0	6.9	7.0	7.2	7.4	県	18.4	18.6	18.4	18.7	18.6	県	35.2	34.8	34.9	35.2	35.0	県	50.1	49.2	49.3	49.4	49.0

d 高血圧症患者の併発状況

		H30 R01 R02 R03 R04							H30 R01 R02 R03 R04							H30 R01 R02 R03 R04				
		人数[人]	率[%]	人数[人]	率[%]	人数[人]			率[%]	人数[人]	率[%]	人数[人]	率[%]			人数[人]	率[%]	人数[人]	率[%]	人数[人]
根羽村	高血圧症患者 総数	71	76	74	74	62	人数[人]	9,619	9,301	9,407	9,287	8,697	人数[人]	123,544	119,900	120,865	119,242	111,893		
		率[%]	45.5	48.1	46.8	45.7	40.8	率[%]	39.3	39.1	39.8	40.2	39.9	率[%]	37.6	37.7	38.3	38.8	38.6	
	脳血管疾患	13	12	12	14	14	人数[人]	1,742	1,661	1,652	1,642	1,495	人数[人]	21,945	21,064	21,144	20,491	18,838		
		率[%]	18.3	15.8	16.2	18.9	22.6	率[%]	18.1	17.9	17.6	17.7	17.2	率[%]	17.8	17.6	17.5	17.2	16.8	
	虚血性心疾患	12	9	9	8	8	人数[人]	1,173	1,095	1,080	1,113	1,011	人数[人]	18,752	17,877	17,771	17,276	15,859		
		率[%]	16.9	11.8	12.2	10.8	12.9	率[%]	12.2	11.8	11.5	12.0	11.6	率[%]	15.2	14.9	14.7	14.5	14.2	
	人工透析	0	1	1	1	0	人数[人]	95	92	98	96	93	人数[人]	1,264	1,297	1,318	1,329	1,269		
	率[%]	0.0	1.3	1.4	1.4	0.0	率[%]	1.0	1.0	1.0	1.0	1.1	率[%]	1.0	1.1	1.1	1.1	1.1		
糖尿病	22	24	26	27	26	人数[人]	3,221	3,119	3,162	3,136	2,973	人数[人]	47,013	45,649	46,583	46,215	42,839			
	率[%]	31.0	31.6	35.1	36.5	41.9	率[%]	33.5	33.5	33.6	33.8	34.2	率[%]	38.1	38.1	38.5	38.8	38.3		
脂質異常症	34	37	40	40	38	人数[人]	5,579	5,451	5,548	5,531	5,207	人数[人]	74,936	73,692	75,332	75,203	70,739			
	率[%]	47.9	48.7	54.1	54.1	61.3	率[%]	58.0	58.6	59.0	59.6	59.9	率[%]	60.7	61.5	62.3	63.1	63.2		

(5)有病状況 - ア 有病状況 - (才)糖尿病 - a 患者数・率

年度	H30			R01			R02			R03			R04		
	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]
総数	156	32	20.5	158	35	22.2	158	35	22.2	162	40	24.7	152	35	23.0
総数40-49	8	0	0.0	10	0	0.0	9	0	0.0	7	0	0.0	6	0	0.0
総数50-59	11	1	9.1	11	1	9.1	10	1	10.0	9	1	11.1	10	0	0.0
総数60-69	75	17	22.7	72	12	16.7	67	10	14.9	64	11	17.2	60	11	18.3
総数70-74	62	14	22.6	65	22	33.9	72	24	33.3	82	28	34.2	76	24	31.6
(再)総40-64	41	3	7.3	46	3	6.5	40	3	7.5	30	3	10.0	28	2	7.1
(再)総65-74	115	29	25.2	112	32	28.6	118	32	27.1	132	37	28.0	124	33	26.6
男性総数	93	20	21.5	92	21	22.8	92	20	21.7	94	23	24.5	87	19	21.8
男性40-49	5	0	0.0	5	0	0.0	4	0	0.0	4	0	0.0	3	0	0.0
男性50-59	7	1	14.3	9	1	11.1	8	1	12.5	5	1	20.0	6	0	0.0
男性60-69	48	10	20.8	42	6	14.3	39	5	12.8	43	8	18.6	37	7	18.9
男性70-74	33	9	27.3	36	14	38.9	41	14	34.2	42	14	33.3	41	12	29.3
(再)男40-64	26	3	11.5	27	3	11.1	24	3	12.5	16	1	6.3	14	0	0.0
(再)男65-74	67	17	25.4	65	18	27.7	68	17	25.0	78	22	28.2	73	19	26.0
女性総数	63	12	19.1	66	14	21.2	66	15	22.7	68	17	25.0	65	16	24.6
女性40-49	3	0	0.0	5	0	0.0	5	0	0.0	3	0	0.0	3	0	0.0
女性50-59	4	0	0.0	2	0	0.0	2	0	0.0	4	0	0.0	4	0	0.0
女性60-69	27	7	25.9	30	6	20.0	28	5	17.9	21	3	14.3	23	4	17.4
女性70-74	29	5	17.2	29	8	27.6	31	10	32.3	40	14	35.0	35	12	34.3
(再)女40-64	15	0	0.0	19	0	0.0	16	0	0.0	14	2	14.3	14	2	14.3
(再)女65-74	48	12	25.0	47	14	29.8	50	15	30.0	54	15	27.8	51	14	27.5

b 糖尿病患者の割合(総数・性別)

年度	総数					男性					女性				
	H30	R01	R02	R03	R04	H30	R01	R02	R03	R04	H30	R01	R02	R03	R04
根羽村	20.5	22.2	22.2	24.7	23.0	21.5	22.8	21.7	24.5	21.8	19.1	21.2	22.7	25.0	24.6
圏域	17.9	18.0	18.0	18.4	18.4	21.3	21.4	21.3	21.9	21.8	14.7	14.6	14.8	15.0	15.1
県	20.3	20.3	20.6	20.9	20.4	23.1	23.1	23.5	23.9	23.4	17.6	17.7	17.9	18.0	17.6

c 糖尿病患者の割合(性・年代別)☆

男性40代						男性50代						男性60代						男性70-74歳					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	14.3	11.1	12.5	20.0	0.0	根羽村	20.8	14.3	12.8	18.6	18.9	根羽村	27.3	38.9	34.2	33.3	29.3
圏域	5.9	6.2	6.1	6.3	6.7	圏域	13.4	14.1	14.0	14.4	15.2	圏域	22.3	22.1	21.8	22.7	22.4	圏域	29.6	29.2	28.7	29.0	28.9
県	7.2	7.2	7.3	7.6	7.5	県	14.7	14.8	15.1	15.5	15.3	県	24.6	24.3	24.6	24.8	24.6	県	31.9	31.7	31.6	32.0	31.5

女性40代						女性50代						女性60代						女性70-74歳					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	25.9	20.0	17.9	14.3	17.4	根羽村	17.2	27.6	32.3	35.0	34.3
圏域	4.1	4.4	4.4	4.0	4.7	圏域	7.1	7.4	8.1	8.5	8.6	圏域	14.8	14.1	14.0	14.1	14.7	圏域	20.6	20.5	20.3	20.4	20.2
県	4.7	5.0	5.1	5.2	5.1	県	9.5	9.4	9.7	10.0	9.7	県	17.7	17.6	17.5	17.5	17.3	県	24.6	24.2	24.2	24.3	23.6

d 糖尿病患者の併発状況

根羽村	糖尿病 患者 総数	H30					R01					R02					R03					R04				
		人数[人]	率[%]	人数[人]	率[%]	人数[人]	率[%]	人数[人]	率[%]	人数[人]	率[%]	人数[人]	率[%]	人数[人]	率[%]	人数[人]	率[%]	人数[人]	率[%]	人数[人]	率[%]	人数[人]	率[%]			
根羽村	糖尿病 患者 総数	32	20.5	35	22.2	35	22.2	40	24.7	35	22.2	40	24.7	35	22.2	40	24.7	35	22.2	35	22.2	40	24.7	35	22.2	
	脳血管 疾患	12	37.5	12	34.3	10	28.6	10	28.6	10	28.6	10	28.6	10	28.6	10	28.6	10	28.6	10	28.6	10	28.6	10	28.6	
	虚血性 心疾患	6	18.8	4	11.4	4	11.4	3	8.6	3	8.6	3	8.6	3	8.6	3	8.6	3	8.6	3	8.6	3	8.6	3	8.6	
	人工透析	0	0.0	1	2.9	1	2.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
	高血圧	22	68.8	24	68.6	26	74.3	27	77.1	26	74.3	27	77.1	26	74.3	27	77.1	26	74.3	27	77.1	26	74.3	27	77.1	
	脂質 異常症	18	56.3	24	68.6	24	68.6	25	71.4	22	62.9	25	71.4	22	62.9	25	71.4	22	62.9	25	71.4	22	62.9	25	71.4	
	飯伊 圏域	糖尿病 患者 総数	4,394	17.9	4,268	18.0	4,253	18.0	4,241	18.4	4,011	18.4	4,241	18.4	4,011	18.4	4,241	18.4	4,011	18.4	4,241	18.4	4,011	18.4	4,241	18.4
		脳血管 疾患	840	19.1	798	18.7	773	18.2	788	18.6	731	18.2	788	18.6	731	18.2	788	18.6	731	18.2	788	18.6	731	18.2	788	18.6
		虚血性 心疾患	613	14.0	605	14.2	596	14.0	616	14.5	597	14.0	616	14.5	597	14.0	616	14.5	597	14.0	616	14.5	597	14.0	616	14.5
		人工透析	45	1.0	45	1.1	54	1.3	51	1.2	44	1.0	54	1.3	51	1.2	44	1.0	54	1.3	51	1.2	44	1.0	54	1.3
高血圧		3,221	73.3	3,119	73.1	3,162	74.4	3,136	73.9	2,973	70.5	3,162	74.4	3,136	73.9	2,973	70.5	3,162	74.4	3,136	73.9	2,973	70.5	3,162	74.4	
脂質 異常症		2,969	67.6	2,935	68.8	2,973	69.9	2,964	69.9	2,829	70.5	2,973	69.9	2,964	69.9	2,829	70.5	2,973	69.9	2,964	69.9	2,829	70.5	2,973	69.9	
県		糖尿病 患者 総数	66,832	20.3	64,589	20.3	65,066	20.6	64,107	20.4	64,107	20.4	64,107	20.4	64,107	20.4	64,107	20.4	64,107	20.4	64,107	20.4	64,107	20.4	64,107	20.4
		脳血管 疾患	12,011	18.0	11,516	17.8	11,630	17.9	11,117	17.0	11,117	17.0	11,117	17.0	11,117	17.0	11,117	17.0	11,117	17.0	11,117	17.0	11,117	17.0	11,117	17.0
		虚血性 心疾患	11,287	17.0	10,763	16.6	10,800	16.6	10,507	16.1	10,507	16.1	10,507	16.1	10,507	16.1	10,507	16.1	10,507	16.1	10,507	16.1	10,507	16.1	10,507	16.1
		人工透析	759	1.1	774	1.2	807	1.2	820	1.3	779	1.1	807	1.2	820	1.3	779	1.1	807	1.2	820	1.3	779	1.1	807	1.2
	高血圧	47,013	70.6	45,849	70.7	46,583	71.6	46,215	72.1	42,839	70.6	46,583	71.6	46,215	72.1	42,839	70.6	46,583	71.6	46,215	72.1	42,839	70.6	46,583	71.6	
	脂質 異常症	47,013	70.6	46,153	71.5	47,080	72.4	46,898	73.2	43,819	70.6	47,080	72.4	46,898	73.2	43,819	70.6	47,080	72.4	46,898	73.2	43,819	70.6	47,080	72.4	

(5)有病状況 - ア 有病状況 - (力)脂質異常症 - a 患者数・率

年度	H30			R01			R02			R03			R04		
	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]	被保険者数[人]	患者数[人]	率[%]
総数	156	57	36.5	158	55	34.8	158	59	37.3	162	60	37.0	152	56	36.8
総数40-49	8	2	25.0	10	0	0.0	9	0	0.0	7	1	14.3	6	0	0.0
総数50-59	11	3	27.3	11	2	18.2	10	3	30.0	9	3	33.3	10	3	30.0
総数60-69	75	25	33.3	72	24	33.3	67	25	37.3	64	20	31.3	60	19	31.7
総数70-74	62	27	43.6	65	29	44.6	72	31	43.1	82	36	43.9	76	34	44.7
(再)総40-64	41	9	22.0	46	9	19.6	40	11	27.5	30	8	26.7	28	6	21.4
(再)総65-74	115	48</													

b 脂質異常症患者の割合(総数・性別)

総数						男性						女性					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	36.5	34.8	37.3	37.0	36.8	根羽村	32.3	34.8	39.1	38.3	35.6	根羽村	42.9	34.9	34.9	35.3	38.5
圏域	33.8	34.2	34.8	35.4	35.4	圏域	30.8	31.2	32.3	32.9	33.0	圏域	36.6	37.1	37.2	37.9	37.7
県	34.8	35.4	35.9	36.8	36.7	県	31.6	32.4	33.1	34.0	34.1	県	37.8	38.2	38.7	39.4	39.1

c 脂質異常症患者の割合(性・年代別)☆

男性40代						男性50代						男性60代						男性70-74歳					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	20.0	0.0	0.0	25.0	0.0	根羽村	14.3	22.2	25.0	40.0	33.3	根羽村	35.4	35.7	41.0	34.9	29.7	根羽村	33.3	41.7	43.9	42.9	43.9
圏域	12.9	13.5	13.7	13.9	13.3	圏域	22.1	21.6	22.8	24.2	25.1	圏域	31.7	32.5	33.5	33.8	34.6	圏域	40.3	40.2	41.1	41.4	41.4
県	12.9	13.4	13.2	14.1	14.0	県	22.5	23.1	23.1	23.9	23.9	県	33.8	34.6	35.3	36.3	36.6	県	41.0	41.7	42.1	43.2	43.6

女性40代						女性50代						女性60代						女性70-74歳					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	33.3	0.0	0.0	0.0	0.0	根羽村	50.0	0.0	50.0	25.0	25.0	根羽村	29.6	30.0	32.1	23.8	34.8	根羽村	55.2	48.3	41.9	45.0	45.7
圏域	8.2	8.1	7.9	8.9	8.9	圏域	18.3	18.5	18.7	19.8	20.4	圏域	39.1	38.8	38.5	39.1	38.9	圏域	48.7	49.2	48.9	49.3	49.0
県	8.9	8.8	9.0	9.3	9.4	県	20.9	21.1	21.4	21.8	21.6	県	39.7	39.9	39.7	40.6	40.5	県	50.6	50.6	50.9	51.4	51.0

d 脂質異常症患者の併発状況

根羽村	脂質異常症患者総数	併発状況						飯伊圏域	脂質異常症患者総数	併発状況						県	脂質異常症患者総数	併発状況					
		脳血管疾患	虚血性心疾患	人工透析	高血圧	糖尿病	率[%]			脳血管疾患	虚血性心疾患	人工透析	高血圧	糖尿病	率[%]			脳血管疾患	虚血性心疾患	人工透析	高血圧	糖尿病	率[%]
	人数[人]	57	55	59	60	56		人数[人]	8,274	8,125	8,216	8,178	7,705		人数[人]	114,391	112,601	113,494	113,149	106,528			
	率[%]	36.5	34.8	37.3	37.0	36.8		率[%]	33.8	34.2	34.8	35.4	35.4		率[%]	34.8	35.4	35.9	36.8	36.7			

(6) 健診有所見・質問票の状況

ア II度高血圧以上者の割合

(ア) II度高血圧以上者数・率★

年度	H30			R01			R02			R03			R04		
	受診者数[人]	該当者数[人]	率[%]	受診者数[人]	該当者数[人]	率[%]	受診者数[人]	該当者数[人]	率[%]	受診者数[人]	該当者数[人]	率[%]	受診者数[人]	該当者数[人]	率[%]
総数	67	3	4.5	74	5	6.8	82	2	2.4	100	6	6.0	85	2	2.4
総数40-49	5	1	20.0	2	1	50.0	3	0	0.0	3	0	0.0	3	0	0.0
総数50-59	4	0	0.0	1	0	0.0	3	0	0.0	6	0	0.0	7	0	0.0
総数60-69	29	1	3.4	41	3	7.3	37	1	2.7	44	3	6.8	36	1	2.8
総数70-74	29	1	3.4	30	1	3.3	39	1	2.6	47	3	6.4	39	1	2.6
(再)総40-64	17	1	5.9	15	2	13.3	16	0	0.0	15	0	0.0	15	0	0.0
(再)総65-74	50	2	4.0	59	3	5.1	66	2	3.0	85	6	7.1	70	2	2.9
男性総数	36	3	8.3	38	4	10.5	43	2	4.7	55	5	9.1	46	2	4.3
男性40-49	3	1	33.3	2	1	50.0	1	0	0.0	2	0	0.0	2	0	0.0
男性50-59	0	0	0.0	0	0	0.0	2	0	0.0	2	0	0.0	4	0	0.0
男性60-69	18	1	5.6	20	3	15.0	19	1	5.3	31	3	9.7	23	1	4.3
男性70-74	15	1	6.7	16	0	0.0	21	1	4.8	20	2	10.0	17	1	5.9
(再)男40-64	9	1	11.1	6	2	33.3	8	0	0.0	6	0	0.0	8	0	0.0
(再)男65-74	27	2	7.4	32	2	6.3	35	2	5.7	49	5	10.2	38	2	5.3
女性総数	31	0	0.0	36	1	2.8	39	0	0.0	45	1	2.2	39	0	0.0
女性40-49	2	0	0.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
女性50-59	4	0	0.0	1	0	0.0	1	0	0.0	4	0	0.0	3	0	0.0
女性60-69	11	0	0.0	21	0	0.0	18	0	0.0	13	0	0.0	13	0	0.0
女性70-74	14	0	0.0	14	1	7.1	18	0	0.0	27	1	3.7	22	0	0.0
(再)女40-64	8	0	0.0	9	0	0.0	8	0	0.0	9	0	0.0	7	0	0.0
(再)女65-74	23	0	0.0	27	1	3.7	31	0	0.0	36	1	2.8	32	0	0.0

(イ) II度高血圧以上の者の割合(総数・性別)

総数						男性						女性					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	4.5	6.8	2.4	6.0	2.4	根羽村	8.3	10.5	4.7	9.1	4.3	根羽村	0.0	2.8	0.0	2.2	0.0
圏域	4.0	4.1	5.8	5.1	5.3	圏域	5.1	5.4	7.1	6.1	6.4	圏域	3.1	3.1	4.7	4.2	4.3
県	4.4	4.5	5.4	5.4	5.3	県	5.2	5.3	6.0	6.1	5.9	県	3.8	3.9	4.8	4.8	4.9

(ウ) 血圧分類ごとの推移(総数)

年度	受診者総数	根羽村					年度	受診者総数	飯伊圏域														
		正常	高血圧	I度高血圧	II度高血圧	III度高血圧			正常	高血圧	I度高血圧	II度高血圧	III度高血圧										
H30	67	32	47.8	14	20.9	18	26.9	3	4.5	0	0.0	H30	11,782	6,766	57.4	2,412	20.5	2,130	18.1	412	3.5	62	0.5
R01	74	32	43.2	16	21.6	21	28.4	5	6.8	0	0.0	R01	11,580	6,699	57.8	2,317	20.0	2,085	18.0	407	3.5	72	0.6
R02	82	43	52.4	14	17.1	23	28.0	2	2.4	0	0.0	R02	9,714	4,823	49.6	2,165	22.3	2,166	22.3	471	4.8	89	0.9
R03	100	47	47.0	22	22.0	25	25.0	6	6.0	0	0.0	R03	10,937	5,753	52.6	2,287	20.9	2,339	21.4	487	4.5	71	0.6
R04	85	47	55.3	18	21.2	18	21.2	2	2.4	0	0.0	R04	10,679	5,713	53.5	2,138	20.0	2,265	21.2	477	4.5	86	0.8

(ウ) 血圧分類ごとの推移(性別)

根羽村											飯伊圏域												
男性		正常		高値血圧		I度高血圧		II度高血圧		III度高血圧		男性		正常		高値血圧		I度高血圧		II度高血圧		III度高血圧	
年度	受診者総数	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	年度	受診者総数	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]
H30	36	16	44.4	6	16.7	11	30.6	3	8.3	0	0.0	H30	5,335	2,825	53.0	1,163	21.8	1,073	20.1	230	4.3	44	0.8
R01	38	15	39.5	6	15.8	13	34.2	4	10.5	0	0.0	R01	5,234	2,800	53.5	1,084	20.7	1,069	20.4	237	4.5	44	0.8
R02	43	18	41.9	8	18.6	15	34.9	2	4.7	0	0.0	R02	4,423	2,021	45.7	1,025	23.2	1,065	24.1	264	6.0	48	1.1
R03	55	24	43.6	10	18.2	16	29.1	5	9.1	0	0.0	R03	5,091	2,452	48.2	1,122	22.0	1,206	23.7	271	5.3	40	0.8
R04	46	19	41.3	12	26.1	13	28.3	2	4.3	0	0.0	R04	4,940	2,461	49.8	1,031	20.9	1,133	22.9	265	5.4	50	1.0

県											
男性		正常		高値血圧		I度高血圧		II度高血圧		III度高血圧	
年度	受診者総数	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]
H30	68,088	34,737	51.0	15,296	22.5	14,494	21.3	2,997	4.4	564	0.8
R01	65,779	33,543	51.0	14,939	22.7	13,792	21.0	3,000	4.6	505	0.8
R02	58,047	27,595	47.5	13,516	23.3	13,426	23.1	2,949	5.1	561	1.0
R03	61,864	30,213	48.8	14,160	22.9	13,728	22.2	3,134	5.1	629	1.0
R04	60,324	30,246	50.1	13,347	22.1	13,197	21.9	2,991	5.0	543	0.9

根羽村											飯伊圏域												
女性		正常		高値血圧		I度高血圧		II度高血圧		III度高血圧		女性		正常		高値血圧		I度高血圧		II度高血圧		III度高血圧	
年度	受診者総数	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	年度	受診者総数	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]
H30	31	16	51.6	8	25.8	7	22.6	0	0.0	0	0.0	H30	6,447	3,941	61.1	1,249	19.4	1,057	16.4	182	2.8	18	0.3
R01	36	17	47.2	10	27.8	8	22.2	1	2.8	0	0.0	R01	6,346	3,899	61.4	1,233	19.4	1,016	16.0	170	2.7	28	0.4
R02	39	25	64.1	6	15.4	8	20.5	0	0.0	0	0.0	R02	5,291	2,802	53.0	1,140	21.5	1,101	20.8	207	3.9	41	0.8
R03	45	23	51.1	12	26.7	9	20.0	1	2.2	0	0.0	R03	5,846	3,301	56.5	1,165	19.9	1,133	19.4	216	3.7	31	0.5
R04	39	28	71.8	6	15.4	5	12.8	0	0.0	0	0.0	R04	5,739	3,252	56.7	1,107	19.3	1,132	19.7	212	3.7	36	0.6

県											
女性		正常		高値血圧		I度高血圧		II度高血圧		III度高血圧	
年度	受診者総数	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]
H30	85,953	50,043	58.2	17,712	20.6	14,912	17.3	2,853	3.3	433	0.5
R01	82,654	48,010	58.1	17,120	20.7	14,335	17.3	2,777	3.4	412	0.5
R02	72,753	39,325	54.1	15,628	21.5	14,293	19.6	3,013	4.1	494	0.7
R03	77,226	42,143	54.6	16,433	21.3	14,931	19.3	3,157	4.1	562	0.7
R04	74,884	41,225	55.1	15,625	20.9	14,390	19.2	3,127	4.2	517	0.7

イ HbA1c 8.0% 以上の者の割合

(ア) HbA1c 8.0% 以上者数・率★

根羽村															
年度	H30			R01			R02			R03			R04		
	受診者数[人]	該当者数[人]	率[%]	受診者数[人]	該当者数[人]	率[%]	受診者数[人]	該当者数[人]	率[%]	受診者数[人]	該当者数[人]	率[%]	受診者数[人]	該当者数[人]	率[%]
総数	67	1	1.5	74	2	2.7	82	2	2.4	100	3	3.0	85	1	1.2
総数40-49	5	0	0.0	2	0	0.0	3	0	0.0	3	0	0.0	3	0	0.0
総数50-59	4	0	0.0	1	0	0.0	3	0	0.0	6	0	0.0	7	0	0.0
総数60-69	29	1	3.4	41	2	4.9	37	1	2.7	44	2	4.5	36	0	0.0
総数70-74	29	0	0.0	30	0	0.0	39	1	2.6	47	1	2.1	39	1	2.6
(再)総40-64	17	0	0.0	15	0	0.0	16	0	0.0	15	0	0.0	15	0	0.0
(再)総65-74	50	1	2.0	59	2	3.4	66	2	3.0	85	3	3.5	70	1	1.4
男性総数	36	0	0.0	38	1	2.6	43	1	2.3	55	2	3.6	46	0	0.0
男性40-49	3	0	0.0	2	0	0.0	1	0	0.0	2	0	0.0	2	0	0.0
男性50-59	0	0	0.0	0	0	0.0	2	0	0.0	2	0	0.0	4	0	0.0
男性60-69	18	0	0.0	20	1	5.0	19	0	0.0	31	2	6.5	23	0	0.0
男性70-74	15	0	0.0	16	0	0.0	21	1	4.8	20	0	0.0	17	0	0.0
(再)男40-64	9	0	0.0	6	0	0.0	8	0	0.0	6	0	0.0	8	0	0.0
(再)男65-74	27	0	0.0	32	1	3.1	35	1	2.9	49	2	4.1	38	0	0.0
女性総数	31	1	3.2	36	1	2.8	39	1	2.6	45	1	2.2	39	1	2.6
女性40-49	2	0	0.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
女性50-59	4	0	0.0	1	0	0.0	1	0	0.0	4	0	0.0	3	0	0.0
女性60-69	11	1	9.1	21	1	4.8	18	1	5.6	13	0	0.0	13	0	0.0
女性70-74	14	0	0.0	14	0	0.0	18	0	0.0	27	1	3.7	22	1	4.5
(再)女40-64	8	0	0.0	9	0	0.0	8	0	0.0	9	0	0.0	7	0	0.0
(再)女65-74	23	1	4.3	27	1	3.7	31	1	3.2	36	1	2.8	32	1	3.1

(イ) (総数・性別)

総数						[%]				
年度	H30	R01	R02	R03	R04	H30	R01	R02	R03	R04
根羽村	1.5	2.7	2.4	3.0	1.2	1.5	2.7	2.4	3.0	1.2
飯伊圏域	0.8	0.9	1.0	1.0	0.8	0.8	0.9	1.0	1.0	0.8
県	1.0	0.9	1.0	1.0	0.9	1.0	0.9	1.0	1.0	0.9

男性						[%]				
年度	H30	R01	R02	R03	R04	H30	R01	R02	R03	R04
根羽村	0.0	2.6	2.3	3.6	0.0	0.0	2.6	2.3	3.6	0.0
飯伊圏域	1.1	1.4	1.4	1.3	1.2	1.1	1.4	1.4	1.3	1.2
県	1.4	1.4	1.4	1.6	1.4	1.4	1.4	1.4	1.6	1.4

女性						[%]				
年度	H30	R01	R02	R03	R04	H30	R01	R02	R03	R04
根羽村	3.2	2.8	2.6	2.2	2.6	3.2	2.8	2.6	2.2	2.6
飯伊圏域	0.5	0.5	0.6	0.7	0.5	0.5	0.5	0.6	0.7	0.5
県	0.6	0.6	0.6	0.6	0.5	0.6	0.6	0.6	0.6	0.5

(ウ)HbA1c区分ごとの推移

総数		根羽村									
		5.5%以下		5.6～6.4%		6.5～7.9%		8.0%以上			
年度	受診者総数	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]
H30	67	25	37.3	36	53.7	5	7.5	1	1.5		
R01	74	19	25.7	47	63.5	6	8.1	2	2.7		
R02	82	26	31.7	47	57.3	7	8.5	2	2.4		
R03	100	24	24.0	62	62.0	11	11.0	3	3.0		
R04	85	26	30.6	48	56.5	10	11.8	1	1.2		

根羽村										根羽村																			
男性					女性					5.5%以下					5.6～6.4%					6.5～7.9%					8.0%以上				
年度	受診者総数	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	年度	受診者総数	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]	数[人]	率[%]						
H30	36	15	41.7	18	50.0	3	8.3	0	0.0	H30	31	10	32.3	18	58.1	2	6.5	1	3.2										
R01	38	9	23.7	25	65.8	3	7.9	1	2.6	R01	36	10	27.8	22	61.1	3	8.3	1	2.8										
R02	43	15	34.9	23	53.5	4	9.3	1	2.3	R02	39	11	28.2	24	61.5	3	7.7	1	2.6										
R03	55	16	29.1	28	50.9	9	16.4	2	3.6	R03	45	8	17.8	34	75.6	2	4.4	1	2.2										
R04	46	14	30.4	26	56.5	6	13.0	0	0.0	R04	39	12	30.8	22	56.4	4	10.3	1	2.6										

ウ メタボリックシンドローム該当者

(ア) 該当者数・率

年度	H30			R01			R02			R03			R04		
	受診者数 [人]	該当者[人]	率[%]	受診者数 [人]	該当者[人]	率[%]	受診者数 [人]	該当者[人]	率[%]	受診者数 [人]	該当者[人]	率[%]	受診者数 [人]	該当者[人]	率[%]
総数	67	15	22.4	74	13	17.6	82	21	25.6	100	25	25.0	85	17	20.0
総数40-49	5	0	0.0	2	0	0.0	3	0	0.0	3	0	0.0	3	0	0.0
総数50-59	4	1	25.0	1	0	0.0	3	0	0.0	6	1	16.7	7	2	28.6
総数60-69	29	5	17.2	41	5	12.2	37	8	21.6	44	11	25.0	36	6	16.7
総数70-74	29	9	31.0	30	8	26.7	39	13	33.3	47	13	27.7	39	9	23.1
(再)総40-64	17	2	11.8	15	2	13.3	16	4	25.0	15	2	13.3	15	2	13.3
(再)総65-74	50	13	26.0	59	11	18.6	66	17	25.8	85	23	27.1	70	15	21.4
男性総数	36	11	30.6	38	10	26.3	43	16	37.2	55	19	34.5	46	12	26.1
男性40-49	3	0	0.0	2	0	0.0	1	0	0.0	2	0	0.0	2	0	0.0
男性50-59	0	0	0.0	0	0	0.0	2	0	0.0	2	0	0.0	4	1	25.0
男性60-69	18	5	27.8	20	5	25.0	19	8	42.1	31	11	35.5	23	6	26.1
男性70-74	15	6	40.0	16	5	31.3	21	8	38.1	20	8	40.0	17	5	29.4
(再)男40-64	9	1	11.1	6	2	33.3	8	4	50.0	6	1	16.7	8	1	12.5
(再)男65-74	27	10	37.0	32	8	25.0	35	12	34.3	49	18	36.7	38	11	28.9
女性総数	31	4	12.9	36	3	8.3	39	5	12.8	45	6	13.3	39	5	12.8
女性40-49	2	0	0.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
女性50-59	4	1	25.0	1	0	0.0	1	0	0.0	4	1	25.0	3	1	33.3
女性60-69	11	0	0.0	21	0	0.0	18	0	0.0	13	0	0.0	13	0	0.0
女性70-74	14	3	21.4	14	3	21.4	18	5	27.8	27	5	18.5	22	4	18.2
(再)女40-64	8	1	12.5	9	0	0.0	8	0	0.0	9	1	11.1	7	1	14.3
(再)女65-74	23	3	13.0	27	3	11.1	31	5	16.1	36	5	13.9	32	4	12.5

(イ) 該当者の割合(総数・性別)

(イ) 該当者の割合(総数・性別)					
総数 [%]					
年度	H30	R01	R02	R03	R04
根羽村	22.4	17.6	25.6	25.0	20.0
飯伊圏域	14.7	15.1	17.5	17.6	17.3
県	17.3	17.8	19.4	19.3	19.1
男性 [%]					
年度	H30	R01	R02	R03	R04
根羽村	30.6	26.3	37.2	34.5	26.1
飯伊圏域	23.6	23.8	28.0	27.9	27.6
県	27.5	28.2	30.6	30.6	30.1
女性 [%]					
年度	H30	R01	R02	R03	R04
根羽村	12.9	8.3	12.8	13.3	12.8
飯伊圏域	7.2	7.9	8.7	8.6	8.3
県	9.3	9.5	10.5	10.4	10.2

(ウ) 該当者の割合(性・年代別)

男性40代 [%]						女性40代 [%]					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	0.0	0.0	0.0	0.0
飯伊圏域	12.9	12.8	18.9	15.6	15.9	飯伊圏域	2.7	2.6	3.4	3.5	2.7
県	15.5	15.3	17.2	17.8	15.6	県	3.1	3.3	3.8	3.9	4.0
男性50代 [%]						女性50代 [%]					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	25.0	根羽村	25.0	0.0	0.0	25.0	33.3
飯伊圏域	18.6	19.0	25.2	22.3	22.6	飯伊圏域	5.4	5.2	6.5	6.0	7.4
県	23.4	24.4	26.6	25.3	25.2	県	6.2	6.1	6.8	7.0	6.7
男性60代 [%]						女性60代 [%]					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	27.8	25.0	42.1	35.5	26.1	根羽村	0.0	0.0	0.0	0.0	0.0
飯伊圏域	25.3	25.2	28.8	28.6	28.0	飯伊圏域	7.5	7.6	8.4	9.0	8.3
県	29.0	29.3	32.0	31.8	31.6	県	9.1	9.3	10.3	10.2	10.2
男性70-74歳 [%]						女性70-74歳 [%]					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	40.0	31.3	38.1	40.0	29.4	根羽村	21.4	21.4	27.8	18.5	18.2
飯伊圏域	26.5	26.9	29.6	32.3	32.2	飯伊圏域	8.7	10.2	10.5	10.0	9.7
県	29.6	30.7	32.8	33.2	32.8	県	11.4	11.4	12.2	12.1	11.9

エ メタボリックシンドローム予備群該当者

(ア) 該当者数・率													根羽村		
年度	H30			R01			R02			R03			R04		
	受診者数 [人]	該当者[人]	率[%]	受診者数 [人]	該当者[人]	率[%]	受診者数 [人]	該当者[人]	率[%]	受診者数 [人]	該当者[人]	率[%]	受診者数 [人]	該当者[人]	率[%]
総数	67	10	14.9	74	10	13.5	82	9	11.0	100	13	13.0	85	14	16.5
総数40-49	5	1	20.0	2	1	50.0	3	0	0.0	3	1	33.3	3	1	33.3
総数50-59	4	1	25.0	1	1	100.0	3	2	66.7	6	1	16.7	7	1	14.3
総数60-69	29	5	17.2	41	4	9.8	37	3	8.1	44	6	13.6	36	8	22.2
総数70-74	29	3	10.3	30	4	13.3	39	4	10.3	47	5	10.6	39	4	10.3
(再)総40-64	17	4	23.5	15	2	13.3	16	2	12.5	15	4	26.7	15	3	20.0
(再)総65-74	50	6	12.0	59	8	13.6	66	7	10.6	85	9	10.6	70	11	15.7
男性総数	36	7	19.4	38	7	18.4	43	7	16.3	55	10	18.2	46	11	23.9
男性40-49	3	1	33.3	2	1	50.0	1	0	0.0	2	1	50.0	2	1	50.0
男性50-59	0	0	0.0	0	0	0.0	2	1	50.0	2	1	50.0	4	1	25.0
男性60-69	18	5	27.8	20	4	20.0	19	3	15.8	31	5	16.1	23	6	26.1
男性70-74	15	1	6.7	16	2	12.5	21	3	14.3	20	3	15.0	17	3	17.6
(再)男40-64	9	3	33.3	6	1	16.7	8	1	12.5	6	3	50.0	8	2	25.0
(再)男65-74	27	4	14.8	32	6	18.8	35	6	17.1	49	7	14.3	38	9	23.7
女性総数	31	3	9.7	36	3	8.3	39	2	5.1	45	3	6.7	39	3	7.7
女性40-49	2	0	0.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
女性50-59	4	1	25.0	1	1	100.0	1	1	100.0	4	0	0.0	3	0	0.0
女性60-69	11	0	0.0	21	0	0.0	18	0	0.0	13	1	7.7	13	2	15.4
女性70-74	14	2	14.3	14	2	14.3	18	1	5.6	27	2	7.4	22	1	4.5
(再)女40-64	8	1	12.5	9	1	11.1	8	1	12.5	9	1	11.1	7	1	14.3
(再)女65-74	23	2	8.7	27	2	7.4	31	1	3.2	36	2	5.6	32	2	6.3

(イ) 該当者の割合(総数・性別)

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	14.9	13.5	11.0	13.0	16.5	
飯伊圏域	9.7	9.7	9.9	10.1	9.6	
県	10.2	10.2	10.3	10.3	10.3	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	19.4	18.4	16.3	18.2	23.9	
飯伊圏域	15.6	15.7	15.9	15.9	14.9	
県	16.5	16.4	16.5	16.5	16.5	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	9.7	8.3	5.1	6.7	7.7	
飯伊圏域	4.8	4.6	4.9	5.0	5.0	
県	5.2	5.3	5.4	5.3	5.3	

(ウ) 該当者の割合(性・年代別)

男性40代						[%]	女性40代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	33.3	50.0	0.0	50.0	50.0		根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	15.5	15.2	14.8	15.6	13.5		飯伊圏域	4.6	3.7	4.5	4.9	4.7	
県	17.3	17.9	18.5	18.4	18.5		県	4.6	4.2	4.7	5.2	4.8	
男性50代						[%]	女性50代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	50.0	50.0	25.0		根羽村	25.0	100.0	100.0	0.0	0.0	
飯伊圏域	16.9	17.5	15.9	15.6	17.1		飯伊圏域	4.9	5.6	4.6	6.5	4.8	
県	18.2	17.6	17.6	17.9	18.2		県	5.5	6.1	5.9	5.8	5.8	
男性60代						[%]	女性60代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	27.8	20.0	15.8	16.1	26.1		根羽村	0.0	0.0	0.0	7.7	15.4	
飯伊圏域	16.2	16.3	15.6	16.8	15.4		飯伊圏域	5.2	4.8	5.0	4.5	4.8	
県	16.4	16.5	16.2	16.8	16.1		県	5.4	5.3	5.4	5.3	5.5	
男性70-74歳						[%]	女性70-74歳						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	6.7	12.5	14.3	15.0	17.6		根羽村	14.3	14.3	5.6	7.4	4.5	
飯伊圏域	14.4	14.7	16.3	15.3	14.2		飯伊圏域	4.2	4.3	5.0	5.0	5.3	
県	15.9	15.7	16.0	15.7	15.9		県	5.1	5.3	5.3	5.3	5.1	

オ 健診有所見状況

(ア) BMI a 有所見者数・率

(ア) BMI a 有所見者数・率													根羽村		
年度	H30			R01			R02			R03			R04		
	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]
総数	67	24	35.8	74	24	32.4	82	27	32.9	100	30	30.0	85	22	25.9
総数40-49	5	2	40.0	2	1	50.0	3	1	33.3	3	1	33.3	3	1	33.3
総数50-59	4	2	50.0	1	1	100.0	3	2	66.7	6	4	66.7	7	3	42.9
総数60-69	29	7	24.1	41	9	22.0	37	9	24.3	44	12	27.3	36	8	22.2
総数70-74	29	13	44.8	30	13	43.3	39	15	38.5	47	13	27.7	39	10	25.6
(再)総40-64	17	7	41.2	15	5	33.3	16	6	37.5	15	7	46.7	15	4	26.7
(再)総65-74	50	17	34.0	59	19	32.2	66	21	31.8	85	23	27.1	70	18	25.7
男性総数	36	14	38.9	38	16	42.1	43	16	37.2	55	18	32.7	46	16	34.8
男性40-49	3	1	33.3	2	1	50.0	1	1	100.0	2	1	50.0	2	0	0.0
男性50-59	0	0	0.0	0	0	0.0	2	1	50.0	2	1	50.0	4	2	50.0
男性60-69	18	7	38.9	20	8	40.0	19	8	42.1	31	11	35.5	23	8	34.8
男性70-74	15	6	40.0	16	7	43.8	21	6	28.6	20	5	25.0	17	6	35.3
(再)男40-64	9	4	44.4	6	3	50.0	8	4	50.0	6	3	50.0	8	2	25.0
(再)男65-74	27	10	37.0	32	13	40.6	35	12	34.3	49	15	30.6	38	14	36.8
女性総数	31	10	32.3	36	8	22.2	39	11	28.2	45	12	26.7	39	6	15.4
女性40-49	2	1	50.0	0	0	0.0	2	0	0.0	1	0	0.0	1	1	100.0
女性50-59	4	2	50.0	1	1	100.0	1	1	100.0	4	3	75.0	3	1	33.3
女性60-69	11	0	0.0	21	1	4.8	18	1	5.6	13	1	7.7	13	0	0.0
女性70-74	14	7	50.0	14	6	42.9	18	9	50.0	27	8	29.6	22	4	18.2
(再)女40-64	8	3	37.5	9	2	22.2	8	2	25.0	9	4	44.4	7	2	28.6
(再)女65-74	23	7	30.4	27	6	22.2	31	9	29.0	36	8	22.2	32	4	12.5

b BMI有所見(総数・性別)

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	35.8	32.4	32.9	30.0	25.9	
飯伊圏域	21.5	21.7	23.4	23.8	23.3	
県	24.1	24.3	25.5	25.6	25.1	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	38.9	42.1	37.2	32.7	34.8	
飯伊圏域	26.0	26.6	28.9	29.4	29.3	
県	29.4	29.8	31.3	31.6	31.1	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	32.3	22.2	28.2	26.7	15.4	
飯伊圏域	17.9	17.6	18.9	19.0	18.1	
県	19.8	19.9	20.8	20.7	20.2	

c BMI有所見(性・年代別)☆

男性40代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	33.3	50.0	100.0	50.0	0.0	
飯伊圏域	29.1	29.4	35.8	33.6	31.6	
県	35.0	35.2	36.2	36.9	35.7	
男性50代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	50.0	50.0	50.0	
飯伊圏域	31.8	32.8	35.4	35.2	34.8	
県	36.1	36.6	38.4	38.2	37.6	
男性60代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	38.9	40.0	42.1	35.5	34.8	
飯伊圏域	27.4	27.0	29.0	28.9	29.4	
県	29.8	30.3	31.8	32.2	31.3	
男性70-74歳						[%]
年度	H30	R01	R02	R03	R04	
根羽村	40.0	43.8	28.6	25.0	35.3	
飯伊圏域	21.3	23.5	25.8	26.9	26.8	
県	26.2	26.7	28.5	28.7	28.4	
女性40代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	50.0	0.0	0.0	0.0	100.0	
飯伊圏域	17.1	17.7	17.7	18.2	18.4	
県	18.6	18.1	19.2	20.0	20.2	
女性50代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	50.0	100.0	100.0	75.0	33.3	
飯伊圏域	17.5	19.5	20.4	21.5	20.3	
県	19.5	20.5	20.8	21.0	20.9	
女性60代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	4.8	5.6	7.7	0.0	
飯伊圏域	17.3	17.5	19.2	18.7	17.5	
県	19.4	19.6	20.7	20.6	19.8	
女性70-74歳						[%]
年度	H30	R01	R02	R03	R04	
根羽村	50.0	42.9	50.0	29.6	18.2	
飯伊圏域	18.9	17.2	18.3	18.7	18.1	
県	20.6	20.4	21.1	20.8	20.4	

(イ)腹囲

a 有所見者数・率

年度	H30			R01			R02			R03			根羽村		
	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]
総数	67	26	38.8	74	25	33.8	82	32	39.0	100	43	43.0	85	32	37.6
総数40-49	5	2	40.0	2	1	50.0	3	0	0.0	3	1	33.3	3	1	33.3
総数50-59	4	2	50.0	1	1	100.0	3	2	66.7	6	3	50.0	7	4	57.1
総数60-69	29	10	34.5	41	10	24.4	37	13	35.1	44	20	45.5	36	14	38.9
総数70-74	29	12	41.4	30	13	43.3	39	17	43.6	47	19	40.4	39	13	33.3
(再)総40-64	17	7	41.2	15	5	33.3	16	7	43.8	15	8	53.3	15	6	40.0
(再)総65-74	50	19	38.0	59	20	33.9	66	25	37.9	85	35	41.2	70	26	37.1
男性総数	36	18	50.0	38	18	47.4	43	24	55.8	55	31	56.4	46	24	52.2
男性40-49	3	1	33.3	2	1	50.0	1	0	0.0	2	1	50.0	2	1	50.0
男性50-59	0	0	0.0	0	0	0.0	2	1	50.0	2	1	50.0	4	3	75.0
男性60-69	18	10	55.6	20	9	45.0	19	12	63.2	31	18	58.1	23	12	52.2
男性70-74	15	7	46.7	16	8	50.0	21	11	52.4	20	11	55.0	17	8	47.1
(再)男40-64	9	4	44.4	6	3	50.0	8	5	62.5	6	4	66.7	8	4	50.0
(再)男65-74	27	14	51.9	32	15	46.9	35	19	54.3	49	27	55.1	38	20	52.6
女性総数	31	8	25.8	36	7	19.4	39	8	20.5	45	12	26.7	39	8	20.5
女性40-49	2	1	50.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
女性50-59	4	2	50.0	1	1	100.0	1	1	100.0	4	2	50.0	3	1	33.3
女性60-69	11	0	0.0	21	1	4.8	18	1	5.6	13	2	15.4	13	2	15.4
女性70-74	14	5	35.7	14	5	35.7	18	6	33.3	27	8	29.6	22	5	22.7
(再)女40-64	8	3	37.5	9	2	22.2	8	2	25.0	9	4	44.4	7	2	28.6
(再)女65-74	23	5	21.7	27	5	18.5	31	6	19.4	36	8	22.2	32	6	18.8

b 腹囲有所見(総数・性別)

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	38.8	33.8	39.0	43.0	37.6	
飯伊圏域	27.6	28.1	29.9	30.7	30.0	
県	30.9	31.4	32.7	32.9	32.5	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	50.0	47.4	55.8	56.4	52.2	
飯伊圏域	44.3	44.8	48.0	48.5	47.6	
県	49.3	49.9	51.8	52.2	51.5	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	25.8	19.4	20.5	26.7	20.5	
飯伊圏域	13.7	14.3	14.8	15.3	14.8	
県	16.3	16.6	17.5	17.4	17.3	

c 腹囲有所見(性・年代別)☆

男性40代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	33.3	50.0	0.0	50.0	50.0	
飯伊圏域	38.2	39.6	43.4	42.9	41.5	
県	44.3	45.0	46.6	48.3	45.6	
男性50代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	50.0	50.0	75.0	
飯伊圏域	45.4	45.4	47.9	45.8	47.2	
県	49.9	50.1	52.1	51.1	51.9	
男性60代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	55.6	45.0	63.2	58.1	52.2	
飯伊圏域	45.8	45.9	48.3	48.8	47.9	
県	50.2	50.8	52.6	53.2	52.0	
男性70-74歳						[%]
年度	H30	R01	R02	R03	R04	
根羽村	46.7	50.0	52.4	55.0	47.1	
飯伊圏域	44.0	44.9	48.7	50.5	49.1	
県	49.2	50.1	52.0	52.4	52.1	
女性40代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	50.0	0.0	0.0	0.0	0.0	
飯伊圏域	11.2	10.2	9.9	11.7	10.4	
県	11.7	11.3	12.4	13.2	12.7	
女性50代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	50.0	100.0	100.0	50.0	33.3	
飯伊圏域	13.3	14.4	13.7	15.5	14.5	
県	14.5	15.3	15.9	16.0	16.0	
女性60代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	4.8	5.6	7.7	0.0	
飯伊圏域	14.1	14.2	14.5	15.3	14.6	
県	16.3	16.4	17.2	17.2	17.3	
女性70-74歳						[%]
年度	H30	R01	R02	R03	R04	
根羽村	35.7	35.7	33.3	29.6	22.7	
飯伊圏域	14.0	15.3	16.2	16.1	16.1	
県	17.6	17.9	18.7	18.4	18.2	

(ウ) 中性脂肪

a 有所見者数・率

年度	H30			R01			R02			R03			根羽村		
	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]
総数	67	17	25.4	74	17	23.0	82	22	26.8	100	27	27.0	85	20	23.5
総数40-49	5	1	20.0	2	1	50.0	3	1	33.3	3	1	33.3	3	2	66.7
総数50-59	4	2	50.0	1	0	0.0	3	1	33.3	6	3	50.0	7	2	28.6
総数60-69	29	4	13.8	41	8	19.5	37	10	27.0	44	11	25.0	36	11	30.6
総数70-74	29	10	34.5	30	8	26.7	39	10	25.6	47	12	25.5	39	5	12.8
(再)総40-64	17	7	41.2	15	6	40.0	16	7	43.8	15	7	46.7	15	6	40.0
(再)総65-74	50	10	20.0	59	11	18.6	66	15	22.7	85	20	23.5	70	14	20.0
男性総数	36	9	25.0	38	11	28.9	43	18	41.9	55	19	34.5	46	11	23.9
男性40-49	3	1	33.3	2	1	50.0	1	1	100.0	2	1	50.0	2	2	100.0
男性50-59	0	0	0.0	0	0	0.0	2	1	50.0	2	1	50.0	4	1	25.0
男性60-69	18	3	16.7	20	5	25.0	19	8	42.1	31	9	29.0	23	6	26.1
男性70-74	15	5	33.3	16	5	31.3	21	8	38.1	20	8	40.0	17	2	11.8
(再)男40-64	9	4	44.4	6	3	50.0	8	5	62.5	6	3	50.0	8	3	37.5
(再)男65-74	27	5	18.5	32	8	25.0	35	13	37.1	49	16	32.7	38	8	21.1
女性総数	31	8	25.8	36	6	16.7	39	4	10.3	45	8	17.8	39	9	23.1
女性40-49	2	0	0.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
女性50-59	4	2	50.0	1	0	0.0	1	0	0.0	4	2	50.0	3	1	33.3
女性60-69	11	1	9.1	21	3	14.3	18	2	11.1	13	2	15.4	13	5	38.5
女性70-74	14	5	35.7	14	3	21.4	18	2	11.1	27	4	14.8	22	3	13.6
(再)女40-64	8	3	37.5	9	3	33.3	8	2	25.0	9	4	44.4	7	3	42.9
(再)女65-74	23	5	21.7	27	3	11.1	31	2	6.5	36	4	11.1	32	6	18.8

b 中性脂肪有所見(総数・性別)

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	25.4	23.0	26.8	27.0	23.5	
飯伊圏域	19.2	18.5	19.4	19.5	19.4	
県	21.3	21.1	21.9	21.7	21.0	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	25.0	28.9	41.9	34.5	23.9	
飯伊圏域	25.7	25.1	26.2	26.0	25.9	
県	27.4	27.4	28.1	28.1	27.2	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	25.8	16.7	10.3	17.8	23.1	
飯伊圏域	13.8	13.0	13.7	13.8	13.8	
県	16.4	16.1	17.0	16.7	16.0	

c 中性脂肪有所見(性・年代別)☆

男性40代						[%]	女性40代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	33.3	50.0	100.0	50.0	100.0		根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	30.5	27.6	32.2	31.3	29.3		飯伊圏域	8.2	6.5	9.6	9.6	10.2	
県	32.4	31.6	32.4	33.6	31.3		県	10.0	9.9	10.9	10.7	10.6	
男性50代						[%]	女性50代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	50.0	50.0	25.0		根羽村	50.0	0.0	0.0	50.0	33.3	
飯伊圏域	31.1	29.7	32.3	30.1	29.6		飯伊圏域	11.8	11.4	10.9	12.1	11.7	
県	32.4	32.5	32.7	33.1	32.3		県	14.1	14.5	14.7	14.5	13.6	
男性60代						[%]	女性60代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	16.7	25.0	42.1	29.0	26.1		根羽村	9.1	14.3	11.1	15.4	38.5	
飯伊圏域	25.3	25.0	26.1	26.2	25.2		飯伊圏域	13.9	13.2	13.6	14.5	13.3	
県	27.9	27.7	29.2	28.7	27.9		県	16.4	16.3	16.9	16.8	16.1	
男性70-74歳						[%]	女性70-74歳						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	33.3	31.3	38.1	40.0	11.8		根羽村	35.7	21.4	11.1	14.8	13.6	
飯伊圏域	22.8	23.0	23.5	23.1	24.5		飯伊圏域	15.8	14.6	15.1	14.5	15.6	
県	24.7	25.0	25.5	25.3	24.5		県	18.1	17.3	18.3	17.9	17.1	

(工) HbA1c

a 有所見者数・率

年度	H30			R01			R02			R03			根羽村		
	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]
総数	67	42	62.7	74	55	74.3	82	56	68.3	100	76	76.0	85	59	69.4
総数40-49	5	1	20.0	2	2	100.0	3	1	33.3	3	3	100.0	3	1	33.3
総数50-59	4	3	75.0	1	0	0.0	3	2	66.7	6	4	66.7	7	5	71.4
総数60-69	29	20	69.0	41	32	78.0	37	25	67.6	44	33	75.0	36	26	72.2
総数70-74	29	18	62.1	30	21	70.0	39	28	71.8	47	36	76.6	39	27	69.2
(再)総40-64	17	11	64.7	15	12	80.0	16	12	75.0	15	13	86.7	15	9	60.0
(再)総65-74	50	31	62.0	59	43	72.9	66	44	66.7	85	63	74.1	70	50	71.4
男性総数	36	21	58.3	38	29	76.3	43	28	65.1	55	39	70.9	46	32	69.6
男性40-49	3	0	0.0	2	2	100.0	1	0	0.0	2	2	100.0	2	0	0.0
男性50-59	0	0	0.0	0	0	0.0	2	1	50.0	2	1	50.0	4	3	75.0
男性60-69	18	13	72.2	20	16	80.0	19	13	68.4	31	23	74.2	23	18	78.3
男性70-74	15	8	53.3	16	11	68.8	21	14	66.7	20	13	65.0	17	11	64.7
(再)男40-64	9	6	66.7	6	6	100.0	8	6	75.0	6	5	83.3	8	4	50.0
(再)男65-74	27	15	55.6	32	23	71.9	35	22	62.9	49	34	69.4	38	28	73.7
女性総数	31	21	67.7	36	26	72.2	39	28	71.8	45	37	82.2	39	27	69.2
女性40-49	2	1	50.0	0	0	0.0	2	1	50.0	1	1	100.0	1	1	100.0
女性50-59	4	3	75.0	1	0	0.0	1	1	100.0	4	3	75.0	3	2	66.7
女性60-69	11	7	63.6	21	16	76.2	18	12	66.7	13	10	76.9	13	8	61.5
女性70-74	14	10	71.4	14	10	71.4	18	14	77.8	27	23	85.2	22	16	72.7
(再)女40-64	8	5	62.5	9	6	66.7	8	6	75.0	9	8	88.9	7	5	71.4
(再)女65-74	23	16	69.6	27	20	74.1	31	22	71.0	36	29	80.6	32	22	68.8

(工)HbA1c

b HbA1c有所見(総数・性別)

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	62.7	74.3	68.3	76.0	69.4	
飯伊圏域	61.1	61.5	65.1	58.0	61.8	
県	64.6	62.8	63.5	58.1	59.0	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	58.3	76.3	65.1	70.9	69.6	
飯伊圏域	59.3	60.2	64.3	58.2	62.6	
県	63.6	62.3	63.4	59.4	60.3	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	67.7	72.2	71.8	82.2	69.2	
飯伊圏域	62.6	62.6	65.7	57.7	61.2	
県	65.4	63.2	63.6	57.0	58.0	

c HbA1c有所見(性・年代別)☆

男性40代						[%]	女性40代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	0.0	100.0	0.0	100.0	0.0		根羽村	50.0	0.0	50.0	100.0	100.0	
飯伊圏域	30.1	33.1	31.4	29.9	35.9		飯伊圏域	26.5	30.3	31.0	22.5	26.3	
県	38.1	36.6	37.1	33.2	33.9		県	30.0	27.6	28.7	24.9	25.3	
男性50代						[%]	女性50代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	50.0	50.0	75.0		根羽村	75.0	0.0	100.0	75.0	66.7	
飯伊圏域	47.3	50.9	51.3	46.6	56.7		飯伊圏域	49.0	51.1	51.2	43.7	47.9	
県	52.5	50.8	50.9	46.5	48.3		県	52.0	49.3	49.2	42.1	42.8	
男性60代						[%]	女性60代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	72.2	80.0	68.4	74.2	78.3		根羽村	63.6	76.2	66.7	76.9	61.5	
飯伊圏域	64.4	63.0	66.6	61.5	64.4		飯伊圏域	67.1	66.7	69.2	60.8	64.2	
県	65.5	63.6	64.4	61.0	61.4		県	67.6	65.4	65.7	58.8	59.9	
男性70-74歳						[%]	女性70-74歳						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	53.3	68.8	66.7	65.0	64.7		根羽村	71.4	71.4	77.8	85.2	72.7	
飯伊圏域	66.0	67.5	71.9	66.5	70.2		飯伊圏域	69.7	67.9	71.3	66.0	68.6	
県	69.6	69.1	69.8	66.2	67.5		県	72.1	69.8	69.3	63.4	64.5	

(才)血糖値

a 有所見者数・率

年度	H30			R01			R02			R03			R04		
	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]
総数	67	19	28.4	74	20	27.0	82	22	26.8	100	35	35.0	85	29	34.1
総数40-49	5	2	40.0	2	0	0.0	3	0	0.0	3	2	66.7	3	0	0.0
総数50-59	4	1	25.0	1	0	0.0	3	0	0.0	6	2	33.3	7	2	28.6
総数60-69	29	9	31.0	41	13	31.7	37	9	24.3	44	12	27.3	36	11	30.6
総数70-74	29	7	24.1	30	7	23.3	39	13	33.3	47	19	40.4	39	16	41.0
(再)総40-64	17	5	29.4	15	2	13.3	16	2	12.5	15	4	26.7	15	4	26.7
(再)総65-74	50	14	28.0	59	18	30.5	66	20	30.3	85	31	36.5	70	25	35.7
男性総数	36	13	36.1	38	10	26.3	43	14	32.6	55	19	34.5	46	19	41.3
男性40-49	3	1	33.3	2	0	0.0	1	0	0.0	2	2	100.0	2	0	0.0
男性50-59	0	0	0.0	0	0	0.0	2	0	0.0	2	1	50.0	4	2	50.0
男性60-69	18	6	33.3	20	6	30.0	19	6	31.6	31	10	32.3	23	10	43.5
男性70-74	15	6	40.0	16	4	25.0	21	8	38.1	20	6	30.0	17	7	41.2
(再)男40-64	9	3	33.3	6	0	0.0	8	1	12.5	6	3	50.0	8	4	50.0
(再)男65-74	27	10	37.0	32	10	31.3	35	13	37.1	49	16	32.7	38	15	39.5
女性総数	31	6	19.4	36	10	27.8	39	8	20.5	45	16	35.6	39	10	25.6
女性40-49	2	1	50.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
女性50-59	4	1	25.0	1	0	0.0	1	0	0.0	4	1	25.0	3	0	0.0
女性60-69	11	3	27.3	21	7	33.3	18	3	16.7	13	2	15.4	13	1	7.7
女性70-74	14	1	7.1	14	3	21.4	18	5	27.8	27	13	48.1	22	9	40.9
(再)女40-64	8	2	25.0	9	2	22.2	8	1	12.5	9	1	11.1	7	0	0.0
(再)女65-74	23	4	17.4	27	8	29.6	31	7	22.6	36	15	41.7	32	10	31.3

b 血糖値有所見(総数・性別)

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	28.4	27.0	26.8	35.0	34.1	
飯伊圏域	22.0	24.7	17.1	21.5	21.0	
県	24.5	25.4	25.4	25.9	25.1	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	36.1	26.3	32.6	34.5	41.3	
飯伊圏域	28.0	31.0	22.0	26.5	25.8	
県	31.4	32.3	32.0	32.5	31.8	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	19.4	27.8	20.5	35.6	25.6	
飯伊圏域	17.1	19.4	12.9	17.2	16.8	
県	19.1	19.9	20.2	20.7	19.7	

c 血糖値有所見(性・年代別)☆

男性40代						[%]	女性40代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	33.3	0.0	0.0	100.0	0.0		根羽村	50.0	0.0	0.0	0.0	0.0	
飯伊圏域	13.8	20.4	11.7	15.1	15.9		飯伊圏域	8.2	7.3	5.4	7.6	7.3	
県	16.3	17.5	17.3	18.0	17.9		県	7.0	7.0	7.3	8.7	7.3	
男性50代						[%]	女性50代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	50.0	50.0		根羽村	25.0	0.0	0.0	25.0	0.0	
飯伊圏域	26.4	28.4	16.2	22.4	22.8		飯伊圏域	13.6	15.9	8.2	12.2	10.3	
県	25.2	25.6	24.5	25.7	25.1		県	12.5	12.8	12.9	13.0	12.3	
男性60代						[%]	女性60代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	33.3	30.0	31.6	32.3	43.5		根羽村	27.3	33.3	16.7	15.4	7.7	
飯伊圏域	31.0	32.9	23.4	29.6	28.0		飯伊圏域	18.9	21.4	13.4	17.7	17.7	
県	34.2	35.1	34.4	34.8	33.5		県	20.5	21.0	21.4	21.6	20.8	
男性70-74歳						[%]	女性70-74歳						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	40.0	25.0	38.1	30.0	41.2		根羽村	7.1	21.4	27.8	48.1	40.9	
飯伊圏域	29.0	32.6	24.2	28.1	27.4		飯伊圏域	17.9	20.7	14.7	20.0	19.5	
県	33.2	34.5	34.2	35.2	34.7		県	21.2	22.3	22.4	23.3	22.3	

(力) 収縮期血圧

a 有所見者数・率

年度	H30			R01			R02			R03			根羽村 R04		
	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]
総数	67	34	50.7	74	41	55.4	82	38	46.3	100	52	52.0	85	36	42.4
総数40-49	5	1	20.0	2	1	50.0	3	1	33.3	3	0	0.0	3	0	0.0
総数50-59	4	1	25.0	1	0	0.0	3	1	33.3	6	1	16.7	7	1	14.3
総数60-69	29	17	58.6	41	21	51.2	37	17	45.9	44	23	52.3	36	20	55.6
総数70-74	29	15	51.7	30	19	63.3	39	19	48.7	47	28	59.6	39	15	38.5
(再)総40-64	17	6	35.3	15	6	40.0	16	6	37.5	15	3	20.0	15	5	33.3
(再)総65-74	50	28	56.0	59	35	59.3	66	32	48.5	85	49	57.6	70	31	44.3
男性総数	36	19	52.8	38	22	57.9	43	24	55.8	55	30	54.5	46	25	54.3
男性40-49	3	1	33.3	2	1	50.0	1	1	100.0	2	0	0.0	2	0	0.0
男性50-59	0	0	0.0	0	0	0.0	2	1	50.0	2	1	50.0	4	1	25.0
男性60-69	18	10	55.6	20	10	50.0	19	10	52.6	31	18	58.1	23	15	65.2
男性70-74	15	8	53.3	16	11	68.8	21	12	57.1	20	11	55.0	17	9	52.9
(再)男40-64	9	4	44.4	6	3	50.0	8	4	50.0	6	2	33.3	8	3	37.5
(再)男65-74	27	15	55.6	32	19	59.4	35	20	57.1	49	28	57.1	38	22	57.9
女性総数	31	15	48.4	36	19	52.8	39	14	35.9	45	22	48.9	39	11	28.2
女性40-49	2	0	0.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
女性50-59	4	1	25.0	1	0	0.0	1	0	0.0	4	0	0.0	3	0	0.0
女性60-69	11	7	63.6	21	11	52.4	18	7	38.9	13	5	38.5	13	5	38.5
女性70-74	14	7	50.0	14	8	57.1	18	7	38.9	27	17	63.0	22	6	27.3
(再)女40-64	8	2	25.0	9	3	33.3	8	2	25.0	9	1	11.1	7	2	28.6
(再)女65-74	23	13	56.5	27	16	59.3	31	12	38.7	36	21	58.3	32	9	28.1

b 収縮期血圧有所見(総数・性別)

c 収縮期血圧有所見(性・年代別)☆

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	50.7	55.4	46.3	52.0	42.4	
飯伊圏域	39.2	38.4	47.3	43.9	42.9	
県	42.0	41.9	45.9	44.8	43.8	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	52.8	57.9	55.8	54.5	54.3	
飯伊圏域	42.3	41.3	50.4	47.3	45.4	
県	44.9	44.8	48.6	47.1	45.4	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	48.4	52.8	35.9	48.9	28.2	
飯伊圏域	36.7	36.0	44.8	41.0	40.7	
県	39.7	39.7	43.7	43.0	42.5	

男性40代						[%]	女性40代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	33.3	50.0	100.0	0.0	0.0		根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	16.8	18.1	25.4	22.9	23.0		飯伊圏域	10.9	12.2	14.9	14.3	14.4	
県	22.7	22.9	26.0	24.8	22.8		県	11.8	11.3	13.0	13.2	14.0	
男性50代						[%]	女性50代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	50.0	50.0	25.0		根羽村	25.0	0.0	0.0	0.0	0.0	
飯伊圏域	31.8	28.9	43.5	37.1	38.9		飯伊圏域	22.9	21.1	29.3	27.2	25.6	
県	34.2	34.2	37.3	36.3	34.9		県	23.8	23.9	25.8	26.5	24.8	
男性60代						[%]	女性60代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	55.6	50.0	52.6	58.1	65.2		根羽村	63.6	52.4	38.9	38.5	38.5	
飯伊圏域	45.6	43.2	50.9	48.0	46.2		飯伊圏域	38.0	36.2	44.6	40.5	40.2	
県	46.5	46.1	49.7	48.1	46.7		県	39.7	39.0	42.6	42.0	41.0	
男性70-74歳						[%]	女性70-74歳						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	53.3	68.8	57.1	55.0	52.9		根羽村	50.0	57.1	38.9	63.0	27.3	
飯伊圏域	49.5	49.7	56.5	56.3	52.8		飯伊圏域	45.7	45.5	53.9	51.2	50.6	
県	50.6	50.6	54.2	53.0	51.5		県	48.4	48.4	52.5	51.8	51.9	

(キ) 拡張期血圧

a 有所見者数・率

年度	H30			R01			R02			R03			根羽村 R04		
	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]
総数	67	17	25.4	74	23	31.1	82	20	24.4	100	25	25.0	85	21	24.7
総数40-49	5	1	20.0	2	1	50.0	3	0	0.0	3	0	0.0	3	0	0.0
総数50-59	4	0	0.0	1	0	0.0	3	1	33.3	6	0	0.0	7	1	14.3
総数60-69	29	9	31.0	41	12	29.3	37	10	27.0	44	13	29.5	36	12	33.3
総数70-74	29	7	24.1	30	10	33.3	39	9	23.1	47	12	25.5	39	8	20.5
(再)総40-64	17	4	23.5	15	2	13.3	16	3	18.8	15	0	0.0	15	3	20.0
(再)総65-74	50	13	26.0	59	21	35.6	66	17	25.8	85	25	29.4	70	18	25.7
男性総数	36	9	25.0	38	15	39.5	43	14	32.6	55	17	30.9	46	17	37.0
男性40-49	3	1	33.3	2	1	50.0	1	0	0.0	2	0	0.0	2	0	0.0
男性50-59	0	0	0.0	0	0	0.0	2	1	50.0	2	0	0.0	4	1	25.0
男性60-69	18	5	27.8	20	8	40.0	19	8	42.1	31	11	35.5	23	10	43.5
男性70-74	15	3	20.0	16	6	37.5	21	5	23.8	20	6	30.0	17	6	35.3
(再)男40-64	9	3	33.3	6	2	33.3	8	3	37.5	6	0	0.0	8	2	25.0
(再)男65-74	27	6	22.2	32	13	40.6	35	11	31.4	49	17	34.7	38	15	39.5
女性総数	31	8	25.8	36	8	22.2	39	6	15.4	45	8	17.8	39	4	10.3
女性40-49	2	0	0.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
女性50-59	4	0	0.0	1	0	0.0	1	0	0.0	4	0	0.0	3	0	0.0
女性60-69	11	4	36.4	21	4	19.0	18	2	11.1	13	2	15.4	13	2	15.4
女性70-74	14	4	28.6	14	4	28.6	18	4	22.2	27	6	22.2	22	2	9.1
(再)女40-64	8	1	12.5	9	0	0.0	8	0	0.0	9	0	0.0	7	1	14.3
(再)女65-74	23	7	30.4	27	8	29.6	31	6	19.4	36	8	22.2	32	3	9.4

b 拡張期血圧有所見(総数・性別)

総数						[%]				
年度	H30	R01	R02	R03	R04					
根羽村	25.4	31.1	24.4	25.0	24.7					
飯伊圏域	21.2	20.8	25.0	24.6	24.1					
県	20.0	20.3	22.1	22.4	22.2					
男性						[%]				
年度	H30	R01	R02	R03	R04					
根羽村	25.0	39.5	32.6	30.9	37.0					
飯伊圏域	26.9	26.3	30.3	31.2	30.5					
県	25.2	25.4	27.1	27.3	27.0					
女性						[%]				
年度	H30	R01	R02	R03	R04					
根羽村	25.8	22.2	15.4	17.8	10.3					
飯伊圏域	16.6	16.4	20.6	19.0	18.6					
県	15.9	16.2	18.1	18.4	18.3					

c 拡張期血圧有所見(性・年代別)☆

男性40代						[%]					女性40代						[%]				
年度	H30	R01	R02	R03	R04						年度	H30	R01	R02	R03	R04					
根羽村	33.3	50.0	0.0	0.0	0.0						根羽村	0.0	0.0	0.0	0.0	0.0					
飯伊圏域	16.5	17.8	24.6	21.8	20.4						飯伊圏域	7.2	7.7	9.3	10.2	10.8					
県	20.6	20.7	23.3	22.6	21.6						県	8.9	8.8	10.4	10.6	11.1					
男性50代						[%]					女性50代						[%]				
年度	H30	R01	R02	R03	R04						年度	H30	R01	R02	R03	R04					
根羽村	0.0	0.0	50.0	0.0	25.0						根羽村	0.0	0.0	0.0	0.0	0.0					
飯伊圏域	27.1	29.6	34.2	35.5	38.3						飯伊圏域	15.2	18.6	21.0	17.8	19.6					
県	30.3	30.7	31.9	32.8	32.0						県	16.0	16.4	17.4	17.6	17.5					
男性60代						[%]					女性60代						[%]				
年度	H30	R01	R02	R03	R04						年度	H30	R01	R02	R03	R04					
根羽村	27.8	40.0	42.1	35.5	43.5						根羽村	36.4	19.0	11.1	15.4	15.4					
飯伊圏域	30.8	28.8	33.7	33.9	34.2						飯伊圏域	18.4	18.0	22.6	21.6	21.2					
県	28.3	28.6	30.6	31.0	30.8						県	17.2	17.5	19.7	20.3	19.9					
男性70-74歳						[%]					女性70-74歳						[%]				
年度	H30	R01	R02	R03	R04						年度	H30	R01	R02	R03	R04					
根羽村	20.0	37.5	23.8	30.0	35.3						根羽村	28.6	28.6	22.2	22.2	9.1					
飯伊圏域	25.2	24.9	27.4	29.7	27.4						飯伊圏域	16.7	15.5	20.3	18.4	17.2					
県	21.7	22.2	24.1	24.2	23.8						県	15.5	15.9	17.8	18.0	18.2					

(ク)HDLコレステロール

a 有所見者数・率

年度	H30			R01			R02			R03			根羽村 R04		
	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]
総数	67	8	11.9	74	8	10.8	82	6	7.3	100	6	6.0	85	10	11.8
総数40-49	5	1	20.0	2	1	50.0	3	0	0.0	3	1	33.3	3	0	0.0
総数50-59	4	1	25.0	1	0	0.0	3	1	33.3	6	0	0.0	7	2	28.6
総数60-69	29	3	10.3	41	3	7.3	37	3	8.1	44	2	4.5	36	5	13.9
総数70-74	29	3	10.3	30	4	13.3	39	2	5.1	47	3	6.4	39	3	7.7
(再)総40-64	17	4	23.5	15	2	13.3	16	2	12.5	15	2	13.3	15	3	20.0
(再)総65-74	50	4	8.0	59	6	10.2	66	4	6.1	85	4	4.7	70	7	10.0
男性総数	36	6	16.7	38	7	18.4	43	6	14.0	55	6	10.9	46	8	17.4
男性40-49	3	1	33.3	2	1	50.0	1	0	0.0	2	1	50.0	2	0	0.0
男性50-59	0	0	0.0	0	0	0.0	2	1	50.0	2	0	0.0	4	2	50.0
男性60-69	18	3	16.7	20	3	15.0	19	3	15.8	31	2	6.5	23	4	17.4
男性70-74	15	2	13.3	16	3	18.8	21	2	9.5	20	3	15.0	17	2	11.8
(再)男40-64	9	3	33.3	6	2	33.3	8	2	25.0	6	2	33.3	8	2	25.0
(再)男65-74	27	3	11.1	32	5	15.6	35	4	11.4	49	4	8.2	38	6	15.8
女性総数	31	2	6.5	36	1	2.8	39	0	0.0	45	0	0.0	39	2	5.1
女性40-49	2	0	0.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
女性50-59	4	1	25.0	1	0	0.0	1	0	0.0	4	0	0.0	3	0	0.0
女性60-69	11	0	0.0	21	0	0.0	18	0	0.0	13	0	0.0	13	1	7.7
女性70-74	14	1	7.1	14	1	7.1	18	0	0.0	27	0	0.0	22	1	4.5
(再)女40-64	8	1	12.5	9	0	0.0	8	0	0.0	9	0	0.0	7	1	14.3
(再)女65-74	23	1	4.3	27	1	3.7	31	0	0.0	36	0	0.0	32	1	3.1

b HDLコレステロール有所見(総数・性別)

総数						[%]				
年度	H30	R01	R02	R03	R04					
根羽村	11.9	10.8	7.3	6.0	11.8					
飯伊圏域	4.3	4.0	3.6	3.9	4.0					
県	4.7	4.6	4.5	4.6	4.4					
男性						[%]				
年度	H30	R01	R02	R03	R04					
根羽村	16.7	18.4	14.0	10.9	17.4					
飯伊圏域	7.5	7.0	6.5	6.9	7.1					
県	8.5	8.1	8.1	8.3	7.8					
女性						[%]				
年度	H30	R01	R02	R03	R04					
根羽村	6.5	2.8	0.0	0.0	5.1					
飯伊圏域	1.6	1.5	1.2	1.4	1.4					
県	1.8	1.7	1.7	1.6	1.6					

c HDLコレステロール有所見(性・年代別)☆

男性40代						[%]					女性40代						[%]				
年度	H30	R01	R02	R03	R04						年度	H30	R01	R02	R03	R04					
根羽村	33.3	50.0	0.0	50.0	0.0						根羽村	0.0	0.0	0.0	0.0	0.0					
飯伊圏域	11.0	10.7	12.3	9.9	9.2						飯伊圏域	1.9	1.8	2.0	1.8	1.5					
県	10.5	10.3	9.8	10.1	9.4						県	2.0	2.1	2.0	1.6	1.7					
男性50代						[%]					女性50代						[%]				
年度	H30	R01	R02	R03	R04						年度	H30	R01	R02	R03	R04					
根羽村	0.0	0.0	50.0	0.0	50.0						根羽村	25.0	0.0	0.0	0.0	0.0					
飯伊圏域	9.4	9.2	7.2	7.2	7.7						飯伊圏域	1.8	1.2	0.4	0.8	1.1					
県	9.1	9.0	8.8	9.3	8.5						県	1.5	1.4	1.4	1.4	1.6					
男性60代						[%]					女性60代						[%]				
年度	H30	R01	R02	R03	R04						年度	H30	R01	R02	R03	R04					
根羽村	16.7	15.0	15.8	6.5	17.4						根羽村	0.0	0.0	0.0	0.0	7.7					
飯伊圏域	6.5	5.5	5.7	6.7	7.1						飯伊圏域	1.2	1.2	1.1	0.8	1.2					
県	7.8	7.6	7.6	7.8	7.4						県	1.6	1.6	1.5	1.3	1.4					
男性70-74歳						[%]					女性70-74歳						[%]				
年度	H30	R01	R02	R03	R04						年度	H30	R01	R02	R03	R04					
根羽村	13.3	18.8	9.5	15.0	11.8						根羽村	7.1	7.1	0.0	0.0	4.5					
飯伊圏域	7.1	6.8	5.9	6.2	6.5						飯伊圏域	1.9	2.0	1.4	2.1	1.5					
県	8.7	8.0	8.0	8.0	7.6						県	2.1	2.0	1.9	1.9	1.8					

(ケ)LDLコレステロール

a 有所見者数・率

年度	H30			R01			R02			R03			根羽村		
	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]	受診者数 [人]	有所見者 数[人]	率[%]
総数	67	29	43.3	74	44	59.5	82	42	51.2	100	38	38.0	85	34	40.0
総数40-49	5	1	20.0	2	2	100.0	3	2	66.7	3	2	66.7	3	2	66.7
総数50-59	4	0	0.0	1	1	100.0	3	3	100.0	6	2	33.3	7	4	57.1
総数60-69	29	13	44.8	41	25	61.0	37	18	48.6	44	20	45.5	36	15	41.7
総数70-74	29	15	51.7	30	16	53.3	39	19	48.7	47	14	29.8	39	13	33.3
(再)総40-64	17	6	35.3	15	10	66.7	16	12	75.0	15	5	33.3	15	7	46.7
(再)総65-74	50	23	46.0	59	34	57.6	66	30	45.5	85	33	38.8	70	27	38.6
男性総数	36	16	44.4	38	22	57.9	43	17	39.5	55	23	41.8	46	18	39.1
男性40-49	3	1	33.3	2	2	100.0	1	1	100.0	2	2	100.0	2	2	100.0
男性50-59	0	0	0.0	0	0	0.0	2	2	100.0	2	1	50.0	4	2	50.0
男性60-69	18	7	38.9	20	11	55.0	19	8	42.1	31	15	48.4	23	10	43.5
男性70-74	15	8	53.3	16	9	56.3	21	6	28.6	20	5	25.0	17	4	23.5
(再)男40-64	9	4	44.4	6	4	66.7	8	6	75.0	6	3	50.0	8	5	62.5
(再)男65-74	27	12	44.4	32	18	56.3	35	11	31.4	49	20	40.8	38	13	34.2
女性総数	31	13	41.9	36	22	61.1	39	25	64.1	45	15	33.3	39	16	41.0
女性40-49	2	0	0.0	0	0	0.0	2	1	50.0	1	0	0.0	1	0	0.0
女性50-59	4	0	0.0	1	1	100.0	1	1	100.0	4	1	25.0	3	2	66.7
女性60-69	11	6	54.5	21	14	66.7	18	10	55.6	13	5	38.5	13	5	38.5
女性70-74	14	7	50.0	14	7	50.0	18	13	72.2	27	9	33.3	22	9	40.9
(再)女40-64	8	2	25.0	9	6	66.7	8	6	75.0	9	2	22.2	7	2	28.6
(再)女65-74	23	11	47.8	27	16	59.3	31	19	61.3	36	13	36.1	32	14	43.8

b LDLコレステロール有所見(総数・性別)

総数		[%]				
年度	H30	R01	R02	R03	R04	
根羽村	43.3	59.5	51.2	38.0	40.0	
飯伊圏域	49.9	52.5	50.8	52.0	50.0	
県	52.8	53.9	52.8	52.8	50.1	
男性		[%]				
年度	H30	R01	R02	R03	R04	
根羽村	44.4	57.9	39.5	41.8	39.1	
飯伊圏域	45.3	48.7	44.8	48.0	45.8	
県	47.7	49.0	47.8	48.3	45.5	
女性		[%]				
年度	H30	R01	R02	R03	R04	
根羽村	41.9	61.1	64.1	33.3	41.0	
飯伊圏域	53.8	55.6	55.7	55.5	53.6	
県	56.8	57.9	56.8	56.4	53.8	

c LDLコレステロール有所見(性・年代別)☆

男性40代		[%]					女性40代		[%]				
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04		
根羽村	33.3	100.0	100.0	100.0	100.0	根羽村	0.0	0.0	50.0	0.0	0.0		
飯伊圏域	49.9	54.3	51.4	58.4	52.3	飯伊圏域	33.5	35.4	34.4	36.9	36.9		
県	55.2	56.8	57.1	57.8	54.8	県	37.1	38.5	39.8	42.4	38.3		
男性50代		[%]					女性50代		[%]				
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04		
根羽村	0.0	0.0	100.0	50.0	50.0	根羽村	0.0	100.0	100.0	25.0	66.7		
飯伊圏域	51.5	55.1	48.1	52.3	52.5	飯伊圏域	55.1	58.2	56.2	60.5	54.7		
県	53.7	55.2	54.4	55.3	52.7	県	59.7	60.4	60.7	60.6	56.5		
男性60代		[%]					女性60代		[%]				
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04		
根羽村	38.9	55.0	42.1	48.4	43.5	根羽村	54.5	66.7	55.6	38.5	38.5		
飯伊圏域	45.7	49.3	45.1	47.7	46.5	飯伊圏域	58.4	59.6	59.8	58.8	55.9		
県	48.8	50.1	48.3	49.2	46.5	県	60.3	61.4	60.4	59.9	57.5		
男性70-74歳		[%]					女性70-74歳		[%]				
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04		
根羽村	53.3	56.3	28.6	25.0	23.5	根羽村	50.0	50.0	72.2	33.3	40.9		
飯伊圏域	41.3	44.5	42.6	44.2	41.0	飯伊圏域	51.7	54.3	54.7	54.7	54.4		
県	43.4	45.0	44.3	44.3	41.0	県	55.2	56.6	55.1	54.7	52.4		

カ 質問票の状況

(ア)喫煙

a 該当者数・率

年度	H30			R01			R02			R03			根羽村		
	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]
総数	67	9	13.4	74	8	10.8	82	13	15.9	100	20	20.0	85	16	18.8
総数40-49	5	1	20.0	2	2	100.0	3	1	33.3	3	3	100.0	3	1	33.3
総数50-59	4	0	0.0	1	0	0.0	3	2	66.7	6	2	33.3	7	3	42.9
総数60-69	29	4	13.8	41	2	4.9	37	6	16.2	44	11	25.0	36	10	27.8
総数70-74	29	4	13.8	30	4	13.3	39	4	10.3	47	4	8.5	39	2	5.1
(再)総40-64	17	3	17.6	15	3	20.0	16	5	31.3	15	6	40.0	15	4	26.7
(再)総65-74	50	6	12.0	59	5	8.5	66	8	12.1	85	14	16.5	70	12	17.1
男性総数	36	8	22.2	38	8	21.1	43	13	30.2	55	19	34.5	46	15	32.6
男性40-49	3	1	33.3	2	2	100.0	1	1	100.0	2	2	100.0	2	1	50.0
男性50-59	0	0	0.0	0	0	0.0	2	2	100.0	2	2	100.0	4	3	75.0
男性60-69	18	3	16.7	20	2	10.0	19	6	31.6	31	11	35.5	23	9	39.1
男性70-74	15	4	26.7	16	4	25.0	21	4	19.0	20	4	20.0	17	2	11.8
(再)男40-64	9	3	33.3	6	3	50.0	8	5	62.5	6	5	83.3	8	4	50.0
(再)男65-74	27	5	18.5	32	5	15.6	35	8	22.9	49	14	28.6	38	11	28.9
女性総数	31	1	3.2	36	0	0.0	39	0	0.0	45	1	2.2	39	1	2.6
女性40-49	2	0	0.0	0	0	0.0	2	0	0.0	1	1	100.0	1	0	0.0
女性50-59	4	0	0.0	1	0	0.0	1	0	0.0	4	0	0.0	3	0	0.0
女性60-69	11	1	9.1	21	0	0.0	18	0	0.0	13	0	0.0	13	1	7.7
女性70-74	14	0	0.0	14	0	0.0	18	0	0.0	27	0	0.0	22	0	0.0
(再)女40-64	8	0	0.0	9	0	0.0	8	0	0.0	9	1	11.1	7	0	0.0
(再)女65-74	23	1	4.3	27	0	0.0	31	0	0.0	36	0	0.0	32	1	3.1

b 喫煙者の割合(総数・性別)

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	13.4	10.8	15.9	20.0	18.8	
飯伊圏域	12.2	12.0	11.1	12.5	12.0	
県	12.0	11.8	11.1	11.4	11.5	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	22.2	21.1	30.2	34.5	32.6	
飯伊圏域	22.5	22.3	20.5	22.2	21.7	
県	21.9	21.5	20.2	20.6	20.6	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	3.2	0.0	0.0	2.2	2.6	
飯伊圏域	3.7	3.6	3.2	4.1	3.7	
県	4.2	4.1	3.8	4.0	4.2	

c 喫煙者の割合(性・年代別)☆

男性40代						[%]	女性40代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	33.3	100.0	100.0	100.0	50.0		根羽村	0.0	0.0	0.0	100.0	0.0	
飯伊圏域	31.9	30.2	29.0	32.5	29.2		飯伊圏域	11.8	9.4	8.5	12.3	8.2	
県	33.1	32.9	30.8	31.7	30.6		県	12.8	12.5	11.2	12.1	10.9	
男性50代						[%]	女性50代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	100.0	100.0	75.0		根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	30.3	30.9	27.0	31.5	29.2		飯伊圏域	7.4	7.7	8.4	8.4	9.3	
県	31.1	31.2	29.5	30.1	29.2		県	9.0	9.1	9.1	9.2	9.3	
男性60代						[%]	女性60代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	16.7	10.0	31.6	35.5	39.1		根羽村	9.1	0.0	0.0	0.0	7.7	
飯伊圏域	23.8	23.1	22.6	23.5	23.5		飯伊圏域	3.0	3.1	3.1	3.3	3.2	
県	22.5	22.1	21.0	21.4	21.8		県	3.6	3.6	3.4	3.6	3.9	
男性70-74歳						[%]	女性70-74歳						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	26.7	25.0	19.0	20.0	11.8		根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	15.2	16.4	15.4	15.5	15.4		飯伊圏域	1.5	1.7	1.2	1.9	1.8	
県	16.6	16.4	15.7	15.7	15.7		県	2.2	2.1	2.0	2.1	2.4	

(イ) 飲酒(毎日)

a 該当者数・率

年度	H30			R01			R02			R03			R04			根羽村		
	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]
総数	67	16	23.9	73	19	26.0	82	23	28.0	100	36	36.0	84	30	35.7			
総数40-49	5	1	20.0	2	0	0.0	3	1	33.3	3	1	33.3	3	2	66.7			
総数50-59	4	0	0.0	1	0	0.0	3	0	0.0	6	1	16.7	7	3	42.9			
総数60-69	29	11	37.9	40	14	35.0	37	15	40.5	44	23	52.3	35	15	42.9			
総数70-74	29	4	13.8	30	5	16.7	39	7	17.9	47	11	23.4	39	10	25.6			
(再)総40-64	17	5	29.4	14	4	28.6	16	4	25.0	15	3	20.0	15	6	40.0			
(再)総65-74	50	11	22.0	59	15	25.4	66	19	28.8	85	33	38.8	69	24	34.8			
男性総数	36	14	38.9	38	15	39.5	43	18	41.9	55	33	60.0	45	28	62.2			
男性40-49	3	1	33.3	2	0	0.0	1	1	100.0	2	1	50.0	2	2	100.0			
男性50-59	0	0	0.0	0	0	0.0	2	0	0.0	2	1	50.0	4	3	75.0			
男性60-69	18	10	55.6	20	12	60.0	19	12	63.2	31	22	71.0	22	14	63.6			
男性70-74	15	3	20.0	16	3	18.8	21	5	23.8	20	9	45.0	17	9	52.9			
(再)男40-64	9	5	55.6	6	3	50.0	8	4	50.0	6	3	50.0	8	6	75.0			
(再)男65-74	27	9	33.3	32	12	37.5	35	14	40.0	49	30	61.2	37	22	59.5			
女性総数	31	2	6.5	35	4	11.4	39	5	12.8	45	3	6.7	39	2	5.1			
女性40-49	2	0	0.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0			
女性50-59	4	0	0.0	1	0	0.0	1	0	0.0	4	0	0.0	3	0	0.0			
女性60-69	11	1	9.1	20	2	10.0	18	3	16.7	13	1	7.7	13	1	7.7			
女性70-74	14	1	7.1	14	2	14.3	18	2	11.1	27	2	7.4	22	1	4.5			
(再)女40-64	8	0	0.0	8	1	12.5	8	0	0.0	9	0	0.0	7	0	0.0			
(再)女65-74	23	2	8.7	27	3	11.1	31	5	16.1	36	3	8.3	32	2	6.3			

b 飲酒(毎日)する者の割合(総数・性別)

c 飲酒(毎日)する者の割合(性・年代別)☆

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	23.9	26.0	28.0	36.0	35.7	
飯伊圏域	26.0	25.2	26.2	26.4	25.4	
県	23.9	23.9	24.0	24.0	24.1	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	38.9	39.5	41.9	60.0	62.2	
飯伊圏域	44.9	43.8	45.4	44.1	42.7	
県	42.8	42.3	42.4	41.9	41.2	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	6.5	11.4	12.8	6.7	5.1	
飯伊圏域	10.6	10.0	10.4	11.0	10.7	
県	9.0	9.4	9.6	9.9	10.4	

男性40代						[%]	女性40代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	33.3	0.0	100.0	50.0	100.0		根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	35.4	35.0	33.5	33.5	30.8		飯伊圏域	14.5	13.6	12.0	15.1	15.0	
県	31.2	30.9	31.4	30.7	29.1		県	14.9	14.9	14.2	14.9	15.5	
男性50代						[%]	女性50代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	50.0	75.0		根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	40.8	38.6	39.6	37.6	35.0		飯伊圏域	16.2	15.9	18.3	16.9	13.8	
県	37.2	37.2	35.6	35.9	34.3		県	13.5	14.2	14.7	14.7	14.2	
男性60代						[%]	女性60代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	55.6	60.0	63.2	71.0	63.6		根羽村	9.1	10.0	16.7	7.7	7.7	
飯伊圏域	47.6	47.4	48.9	48.4	46.3		飯伊圏域	10.6	10.0	10.0	11.2	10.6	
県	45.2	44.5	44.8	44.1	43.2		県	9.4	9.9	10.3	10.6	11.0	
男性70-74歳						[%]	女性70-74歳						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	20.0	18.8	23.8	45.0	52.9		根羽村	7.1	14.3	11.1	7.4	4.5	
飯伊圏域	46.4	44.3	46.2	45.2	45.4		飯伊圏域	7.6	7.3	8.5	8.3	8.9	
県	44.4	44.1	44.2	43.9	44.0		県	6.4	7.0	7.3	7.5	8.1	

(ウ) 飲酒(3合以上)

a 該当者数・率

年度	H30			R01			R02			R03			根羽村 R04		
	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]	回答者数 [人]	該当者数 [人]	率[%]
総数	31	0	0.0	37	0	0.0	41	0	0.0	57	1	1.8	53	0	0.0
総数40-49	2	0	0.0	1	0	0.0	3	0	0.0	3	0	0.0	3	0	0.0
総数50-59	0	0	0.0	0	0	0.0	0	0	0.0	3	0	0.0	5	0	0.0
総数60-69	19	0	0.0	24	0	0.0	22	0	0.0	30	1	3.3	25	0	0.0
総数70-74	10	0	0.0	12	0	0.0	16	0	0.0	21	0	0.0	20	0	0.0
(再)総40-64	7	0	0.0	7	0	0.0	8	0	0.0	7	0	0.0	10	0	0.0
(再)総65-74	24	0	0.0	30	0	0.0	33	0	0.0	50	1	2.0	43	0	0.0
男性総数	23	0	0.0	25	0	0.0	27	0	0.0	41	1	2.4	37	0	0.0
男性40-49	1	0	0.0	1	0	0.0	1	0	0.0	2	0	0.0	2	0	0.0
男性50-59	0	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0	4	0	0.0
男性60-69	15	0	0.0	17	0	0.0	15	0	0.0	26	1	3.8	18	0	0.0
男性70-74	7	0	0.0	7	0	0.0	11	0	0.0	12	0	0.0	13	0	0.0
(再)男40-64	6	0	0.0	5	0	0.0	5	0	0.0	4	0	0.0	7	0	0.0
(再)男65-74	17	0	0.0	20	0	0.0	22	0	0.0	37	1	2.7	30	0	0.0
女性総数	8	0	0.0	12	0	0.0	14	0	0.0	16	0	0.0	16	0	0.0
女性40-49	1	0	0.0	0	0	0.0	2	0	0.0	1	0	0.0	1	0	0.0
女性50-59	0	0	0.0	0	0	0.0	0	0	0.0	2	0	0.0	1	0	0.0
女性60-69	4	0	0.0	7	0	0.0	7	0	0.0	4	0	0.0	7	0	0.0
女性70-74	3	0	0.0	5	0	0.0	5	0	0.0	9	0	0.0	7	0	0.0
(再)女40-64	1	0	0.0	2	0	0.0	3	0	0.0	3	0	0.0	3	0	0.0
(再)女65-74	7	0	0.0	10	0	0.0	11	0	0.0	13	0	0.0	13	0	0.0

b 飲酒(3合以上)する者の割合(総数・性別)

総数		[%]				
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	1.8	0.0	
飯伊圏域	6.6	6.2	3.1	6.2	6.0	
県	2.9	2.9	2.4	2.8	3.0	
男性		[%]				
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	2.4	0.0	
飯伊圏域	9.2	8.8	4.6	8.5	8.4	
県	4.3	4.4	3.6	4.2	4.4	
女性		[%]				
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	2.5	2.2	0.8	2.5	2.2	
県	0.9	0.9	0.7	0.9	1.1	

c 飲酒(3合以上)する者の割合(性・年代別)☆

男性40代						女性40代					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	0.0	0.0	0.0	0.0
飯伊圏域	16.8	15.5	10.5	19.7	15.4	飯伊圏域	8.2	8.9	0.0	8.2	7.5
県	9.6	9.4	7.5	9.3	8.9	県	3.6	3.6	2.7	3.3	4.2
男性50代						女性50代					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	0.0	0.0	0.0	0.0
飯伊圏域	16.7	14.2	10.4	14.2	12.3	飯伊圏域	7.3	4.1	3.8	5.7	4.5
県	7.8	7.6	7.5	7.7	8.1	県	2.3	2.4	2.0	2.7	2.7
男性60代						女性60代					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	3.8	0.0	根羽村	0.0	0.0	0.0	0.0	0.0
飯伊圏域	8.9	9.2	4.2	8.9	10.3	飯伊圏域	1.1	1.5	0.5	1.9	1.8
県	4.4	4.6	3.7	4.4	4.9	県	0.4	0.5	0.4	0.6	0.7
男性70-74歳						女性70-74歳					
年度	H30	R01	R02	R03	R04	年度	H30	R01	R02	R03	R04
根羽村	0.0	0.0	0.0	0.0	0.0	根羽村	0.0	0.0	0.0	0.0	0.0
飯伊圏域	5.1	5.1	2.6	4.0	3.8	飯伊圏域	0.6	0.3	0.3	0.8	0.8
県	2.3	2.4	2.1	2.3	2.3	県	0.4	0.3	0.3	0.2	0.3

(7) 特定健康診査・特定保健指導の実施状況

ア 特定健康診査受診率

(ア) 受診者数・率★

年度	H30			R01			R02			R03			R04		
	対象者[人]	受診者[人]	率[%]	対象者[人]	受診者[人]	率[%]	対象者[人]	受診者[人]	率[%]	対象者[人]	受診者[人]	率[%]	対象者[人]	受診者[人]	率[%]
総数	156	67	42.9	158	74	46.8	158	82	51.9	162	100	61.7	152	85	55.9
総数40-44	2	2	100.0	4	0	0.0	4	2	50.0	4	2	50.0	3	2	66.7
総数45-49	6	3	50.0	6	2	33.3	5	1	20.0	3	1	33.3	3	1	33.3
総数50-54	3	1	33.3	5	1	20.0	5	2	40.0	5	4	80.0	7	5	71.4
総数55-59	8	3	37.5	6	0	0.0	5	1	20.0	4	2	50.0	3	2	66.7
総数60-64	22	8	36.4	25	12	48.0	21	10	47.6	14	6	42.9	12	5	41.7
総数65-69	53	21	39.6	47	29	61.7	46	27	58.7	50	38	76.0	48	31	64.6
総数70-74	62	29	46.8	65	30	46.2	72	39	54.2	82	47	57.3	76	39	51.3
(再)総40-64	41	17	41.5	46	15	32.6	40	16	40.0	30	15	50.0	28	15	53.6
(再)総65-74	115	50	43.5	112	59	52.7	118	66	55.9	132	85	64.4	124	70	56.5
男性総数	93	36	38.7	92	38	41.3	92	43	46.7	94	55	58.5	87	46	52.9
男性40-44	2	2	100.0	3	0	0.0	3	1	33.3	3	1	33.3	1	1	100.0
男性45-49	3	1	33.3	2	2	100.0	1	0	0.0	1	1	100.0	2	1	50.0
男性50-54	2	0	0.0	4	0	0.0	5	2	40.0	3	2	66.7	4	3	75.0
男性55-59	5	0	0.0	5	0	0.0	3	0	0.0	2	0	0.0	2	1	50.0
男性60-64	14	6	42.9	13	4	30.8	12	5	41.7	7	2	28.6	5	2	40.0
男性65-69	34	12	35.3	29	16	55.2	27	14	51.9	36	29	80.6	32	21	65.6
男性70-74	33	15	45.5	36	16	44.4	41	21	51.2	42	20	47.6	41	17	41.5
(再)男40-64	26	9	34.6	27	6	22.2	24	8	33.3	16	6	37.5	14	8	57.1
(再)男65-74	67	27	40.3	65	32	49.2	68	35	51.5	78	49	62.8	73	38	52.1
女性総数	63	31	49.2	66	36	54.5	66	39	59.1	68	45	66.2	65	39	60.0
女性40-44	0	0	0.0	1	0	0.0	1	1	100.0	1	1	100.0	2	1	50.0
女性45-49	3	2	66.7	4	0	0.0	4	1	25.0	2	0	0.0	1	0	0.0
女性50-54	1	1	100.0	1	1	100.0	0	0	0.0	2	2	100.0	3	2	66.7
女性55-59	3	3	100.0	1	0	0.0	2	1	50.0	2	2	100.0	1	1	100.0
女性60-64	8	2	25.0	12	8	66.7	9	5	55.6	7	4	57.1	7	3	42.9
女性65-69	19	9	47.4	18	13	72.2	19	13	68.4	14	9	64.3	16	10	62.5
女性70-74	29	14	48.3	29	14	48.3	31	18	58.1	40	27	67.5	35	22	62.9
(再)女40-64	15	8	53.3	19	9	47.4	16	8	50.0	14	9	64.3	14	7	50.0
(再)女65-74	48	23	47.9	47	27	57.4	50	31	62.0	54	36	66.7	51	32	62.7

(イ) 特定健康診査受診率(総数・性別)

(ウ) 特定健康診査受診率(性・年代別)☆

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	42.9	46.8	51.9	61.7	55.9	
飯伊圏域	48.0	48.6	41.1	47.3	49.0	
県	46.9	46.8	41.5	45.3	46.5	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	38.7	41.3	46.7	58.5	52.9	
飯伊圏域	44.6	44.9	38.1	44.7	46.0	
県	42.8	42.8	38.0	41.5	42.8	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	49.2	54.5	59.1	66.2	60.0	
飯伊圏域	51.2	52.2	44.0	49.9	51.8	
県	50.8	50.6	44.8	48.8	50.1	

男性40代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	60.0	40.0	25.0	50.0	66.7	
飯伊圏域	37.4	36.1	25.1	38.1	38.2	
県	25.5	26.2	21.8	25.9	26.9	
男性50代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	25.0	40.0	66.7	
飯伊圏域	37.6	37.9	28.6	38.6	40.2	
県	30.0	30.6	26.1	29.9	30.7	
男性60代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	37.5	47.6	48.7	72.1	62.2	
飯伊圏域	47.4	47.7	40.8	47.8	49.4	
県	45.7	45.3	40.4	44.2	45.9	
男性70-74歳						[%]
年度	H30	R01	R02	R03	R04	
根羽村	45.5	44.4	51.2	47.6	41.5	
飯伊圏域	46.8	47.8	43.4	46.5	47.9	
県	52.4	51.7	46.4	49.4	51.0	
女性40代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	66.7	0.0	40.0	33.3	33.3	
飯伊圏域	41.0	42.0	30.5	43.6	42.6	
県	31.3	31.4	26.6	31.4	33.0	
女性50代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	100.0	50.0	50.0	100.0	75.0	
飯伊圏域	47.4	46.2	36.6	44.9	44.5	
県	39.3	38.8	33.2	37.7	38.2	
女性60代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	40.7	70.0	64.3	61.9	56.5	
飯伊圏域	55.1	57.2	48.0	54.3	56.5	
県	53.8	53.6	47.1	51.4	52.9	
女性70-74歳						[%]
年度	H30	R01	R02	R03	R04	
根羽村	48.3	48.3	58.1	67.5	62.9	
飯伊圏域	50.7	51.3	45.6	48.8	52.0	
県	57.1	56.6	51.1	54.2	55.8	

イ 特定保健指導実施率

(ア) 実施者数・率★

年度	H30			R01			R02			R03			R04		
	対象者[人]	実施者[人]	率[%]	対象者[人]	実施者[人]	率[%]	対象者[人]	実施者[人]	率[%]	対象者[人]	実施者[人]	率[%]	対象者[人]	実施者[人]	率[%]
総数	9	8	88.9	9	5	55.6	10	9	90.0	11	7	63.6	9	7	77.8
総数40-44	1	1	100.0	0	0	0.0	1	1	100.0	0	0	0.0	1	0	0.0
総数45-49	1	0	0.0	1	1	100.0	0	0	0.0	1	1	100.0	1	1	100.0
総数50-54	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
総数55-59	1	1	100.0	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0
総数60-64	3	3	100.0	3	3	100.0	3	3	100.0	2	1	50.0	1	0	0.0
総数65-69	1	1	100.0	2	0	0.0	2	1	50.0	2	2	100.0	4	4	100.0
総数70-74	2	2	100.0	3	1	33.3	4	4	100.0	5	3	60.0	2	2	100.0
(再)総40-64	6	5	83.3	4	4	100.0	4	4	100.0	4	2	50.0	3	1	33.3
(再)総65-74	3	3	100.0	5	1	20.0	6	5	83.3	7	5	71.4	6	6	100.0
男性総数	6	6	100.0	7	3	42.9	8	7	87.5	7	5	71.4	6	6	100.0
男性40-44	1	1	100.0	0	0	0.0	1	1	100.0	0	0	0.0	0	0	0.0
男性45-49	0	0	0.0	1	1	100.0	0	0	0.0	1	1	100.0	1	1	100.0
男性50-54	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
男性55-59	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
男性60-64	3	3	100.0	2	2	100.0	2	2	100.0	0	0	0.0	0	0	0.0
男性65-69	1	1	100.0	2	0	0.0	2	1	50.0	2	2	100.0	3	3	100.0
男性70-74	1	1	100.0	2	0	0.0	3	3	100.0	4	2	50.0	2	2	100.0
(再)男40-64	4	4	100.0	3	3	100.0	3	3	100.0	1	1	100.0	1	1	100.0
(再)男65-74	2	2	100.0	4	0	0.0	5	4	80.0	6	4	66.7	5	5	100.0
女性総数	3	2	66.7	2	2	100.0	2	2	100.0	4	2	50.0	3	1	33.3
女性40-44	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	0	0.0
女性45-49	1	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
女性50-54	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0
女性55-59	1	1	100.0	0	0	0.0	0	0	0.0	1	0	0.0	0	0	0.0
女性60-64	0	0	0.0	1	1	100.0	1	1	100.0	2	1	50.0	1	0	0.0
女性65-69	0	0	0.0	0	0	0.0	0	0	0.0	0	0	0.0	1	1	100.0
女性70-74	1	1	100.0	1	1	100.0	1	1	100.0	1	1	100.0	0	0	0.0
(再)女40-64	2	1	50.0	1	1	100.0	1	1	100.0	3	1	33.3	2	0	0.0
(再)女65-74	1	1	100.0	1	1	100.0	1	1	100.0	1	1	100.0	1	1	100.0

(イ) 特定保健指導実施率(総数・性別)

(ウ) 特定保健指導実施率(性・年代別)☆

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	88.9	55.6	90.0	63.6	77.8	
飯伊圏域	75.5	76.7	71.2	73.0	71.7	
県	58.0	60.2	60.8	59.2	61.0	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	100.0	42.9	87.5	71.4	100.0	
飯伊圏域	74.6	75.7	69.2	71.9	68.6	
県	55.7	58.0	58.0	56.9	58.6	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	66.7	100.0	100.0	50.0	33.3	
飯伊圏域	77.5	78.9	75.2	75.4	78.5	
県	63.1	65.1	66.8	64.2	66.1	

男性40代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	100.0	100.0	100.0	100.0	100.0	
飯伊圏域	74.6	65.1	70.2	71.8	60.2	
県	48.4	47.3	49.6	49.7	52.0	
男性50代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	73.5	69.9	65.7	62.9	63.0	
県	50.9	49.8	48.8	50.1	51.8	
男性60代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	100.0	50.0	75.0	100.0	100.0	
飯伊圏域	72.8	80.7	67.4	75.7	74.4	
県	58.3	60.8	60.6	60.4	63.2	
男性70-74歳						[%]
年度	H30	R01	R02	R03	R04	
根羽村	100.0	0.0	100.0	50.0	100.0	
飯伊圏域	78.7	78.8	71.9	73.1	71.1	
県	57.7	63.3	62.3	59.6	60.3	
女性40代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	63.0	61.5	56.8	70.7	67.4	
県	57.7	53.5	58.4	60.1	57.9	
女性50代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	100.0	0.0	0.0	0.0	0.0	
飯伊圏域	72.1	81.8	67.4	74.6	79.2	
県	59.2	60.5	59.9	59.3	61.9	
女性60代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	100.0	100.0	50.0	50.0	
飯伊圏域	83.4	79.9	83.1	77.9	89.2	
県	66.6	66.5	70.0	67.3	69.9	
女性70-74歳						[%]
年度	H30	R01	R02	R03	R04	
根羽村	100.0	100.0	100.0	100.0	0.0	
飯伊圏域	78.0	82.2	74.0	74.4	71.8	
県	61.1	68.2	67.7	64.0	66.3	

ウ 特定保健指導対象者の減少

(ア) 該当者数・率★

年度	根羽村																			
	H30				R01				R02				R03				R04			
	健診受者 [人]	昨年度 の特定 保健指 導の利 用者数 (分母) [人]	分母の うち、今 年度特 定保健 指導対 象者で なくな った者 数 [人]	減少率 [%]	健診受者 [人]	昨年度 の特定 保健指 導の利 用者数 (分母) [人]	分母の うち、今 年度特 定保健 指導対 象者で なくな った者 数 [人]	減少率 [%]	健診受者 [人]	昨年度 の特定 保健指 導の利 用者数 (分母) [人]	分母の うち、今 年度特 定保健 指導対 象者で なくな った者 数 [人]	減少率 [%]	健診受者 [人]	昨年度 の特定 保健指 導の利 用者数 (分母) [人]	分母の うち、今 年度特 定保健 指導対 象者で なくな った者 数 [人]	減少率 [%]	健診受者 [人]	昨年度 の特定 保健指 導の利 用者数 (分母) [人]	分母の うち、今 年度特 定保健 指導対 象者で なくな った者 数 [人]	減少率 [%]
総数	67	10	2	20.0	74	9	2	22.2	82	9	0	0.0	100	10	2	20.0	85	9	0	0.0
総数40-49	5	1	0	0.0	2	2	0	0.0	3	1	0	0.0	3	1	1	100.0	3	0	0	0.0
総数50-59	4	1	0	0.0	1	0	0	0.0	3	0	0	0.0	6	0	0	0.0	7	1	0	0.0
総数60-69	29	4	0	0.0	41	5	0	0.0	37	4	0	0.0	44	4	0	0.0	36	4	0	0.0
総数70-74	29	4	2	50.0	30	2	2	100.0	39	4	0	0.0	47	5	1	20.0	39	4	0	0.0
再)総40-64	17	5	0	0.0	15	6	0	0.0	16	4	0	0.0	15	3	1	33.3	15	2	0	0.0
再)総65-74	50	5	2	40.0	59	3	2	66.7	66	5	0	0.0	85	7	1	14.3	70	7	0	0.0
男性総数	36	8	2	25.0	38	6	1	16.7	43	7	0	0.0	55	8	2	25.0	46	6	0	0.0
男性40-49	3	1	0	0.0	2	1	0	0.0	1	1	0	0.0	2	1	1	100.0	2	0	0	0.0
男性50-59	0	0	0	0.0	0	0	0	0.0	2	0	0	0.0	2	0	0	0.0	4	1	0	0.0
男性60-69	18	4	0	0.0	20	4	0	0.0	19	3	0	0.0	31	3	0	0.0	23	2	0	0.0
男性70-74	15	3	2	66.7	16	1	1	100.0	21	3	0	0.0	20	4	1	25.0	17	3	0	0.0
再)男40-64	9	4	0	0.0	6	4	0	0.0	8	3	0	0.0	6	2	1	50.0	8	1	0	0.0
再)男65-74	27	4	2	50.0	32	2	1	50.0	35	4	0	0.0	49	6	1	16.7	38	5	0	0.0
女性総数	31	2	0	0.0	36	3	1	33.3	39	2	0	0.0	45	2	0	0.0	39	3	0	0.0
女性40-49	2	0	0	0.0	0	1	0	0.0	2	0	0	0.0	1	0	0	0.0	1	0	0	0.0
女性50-59	4	1	0	0.0	1	0	0	0.0	1	0	0	0.0	4	0	0	0.0	3	0	0	0.0
女性60-69	11	0	0	0.0	21	1	0	0.0	18	1	0	0.0	13	1	0	0.0	13	2	0	0.0
女性70-74	14	1	0	0.0	14	1	1	100.0	18	1	0	0.0	27	1	0	0.0	22	1	0	0.0
再)女40-64	8	1	0	0.0	9	2	0	0.0	8	1	0	0.0	9	1	0	0.0	7	1	0	0.0
再)女65-74	23	1	0	0.0	27	1	1	100.0	31	1	0	0.0	36	1	0	0.0	32	2	0	0.0

(イ) 特定保健指導対象者の減少率(総数・性別)

(ウ) 特定保健指導対象者の減少率(性・年代別)

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	20.0	22.2	0.0	20.0	0.0	
飯伊圏域	19.0	19.5	12.8	20.4	19.7	
県	18.6	19.3	15.0	19.1	19.7	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	25.0	16.7	0.0	25.0	0.0	
飯伊圏域	18.3	18.1	12.0	19.6	17.7	
県	17.4	18.4	14.1	17.4	18.1	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	33.3	0.0	0.0	0.0	
飯伊圏域	20.5	22.7	14.6	21.8	24.3	
県	21.1	21.2	17.0	22.6	23.1	

男性40代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	100.0	0.0	
飯伊圏域	15.8	19.8	7.1	22.5	15.3	
県	16.2	17.5	11.8	16.5	16.1	
男性50代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	16.8	17.4	11.9	24.2	14.8	
県	15.2	17.1	14.4	17.1	19.0	
男性60代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	18.7	17.0	14.1	17.3	17.9	
県	17.8	18.4	13.7	16.6	17.7	
男性70-74歳						[%]
年度	H30	R01	R02	R03	R04	
根羽村	66.7	100.0	0.0	25.0	0.0	
飯伊圏域	19.9	19.0	12.2	18.7	20.3	
県	18.4	19.1	15.0	18.6	18.8	
女性40代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	11.8	15.8	14.7	29.0	20.0	
県	19.8	17.1	16.8	19.0	18.0	
女性50代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	24.1	13.8	14.9	30.8	28.3	
県	18.1	18.5	17.4	22.6	23.5	
女性60代						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	18.4	25.8	13.4	22.1	24.0	
県	21.2	21.4	17.3	23.0	24.3	
女性70-74歳						[%]
年度	H30	R01	R02	R03	R04	
根羽村	0.0	100.0	0.0	0.0	0.0	
飯伊圏域	24.5	26.1	15.8	16.2	23.9	
県	22.4	22.9	16.6	22.9	23.0	

エ メタボリックシンドローム該当者の減少

(ア) 該当者・率

																				根羽村												
年度	H30					R01					R02					R03					R04											
	昨年度 メタボ該当者数 [人]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]	メタボ 該当者数 [人]	メタボ 該当者数 [人]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]	メタボ 該当者数 [人]	メタボ 該当者数 [人]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]	メタボ 該当者数 [人]	メタボ 該当者数 [人]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]	Aのうち、 今年メタボ予備群 の割合 [%]									
総数	18	2	11.1	3	16.7	27.8	14	2	14.3	3	21.4	35.7	13	0	0.0	0	0.0	0	0.0	18	0	0.0	0	0.0	0	0.0	22	1	4.5	1	4.5	9.1
総40-49	0	0	0.0	0	0.0	0.0	0	0	0.0	0	0.0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0.0
総50-59	0	0	0.0	0	0.0	0.0	1	1	100.0	0	0.0	100.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	1	0	0.0	0	0.0	0.0
総60-69	9	2	22.2	1	11.1	33.3	5	0	0.0	1	20.0	20.0	5	0	0.0	0	0.0	0	0.0	7	0	0.0	0	0.0	0	0.0	9	1	11.1	0	0.0	11.1
総70-74	9	0	0.0	2	22.2	22.2	8	1	12.5	2	25.0	37.5	8	0	0.0	0	0.0	0	0.0	11	0	0.0	0	0.0	0	0.0	12	0	0.0	1	8.3	8.3
総40-64	3	1	33.3	1	33.3	66.7	2	1	50.0	0	0.0	50.0	2	0	0.0	0	0.0	0	0.0	1	0	0.0	0	0.0	0	0.0	1	0	0.0	0	0.0	0.0
総65-74	15	1	6.7	2	13.3	20.0	12	1	8.3	3	25.0	33.3	11	0	0.0	0	0.0	0	0.0	17	0	0.0	0	0.0	0	0.0	21	1	4.8	1	4.8	9.5
男性総数	16	2	12.5	2	12.5	25.0	10	0	0.0	3	30.0	30.0	10	0	0.0	0	0.0	0	0.0	13	0	0.0	0	0.0	0	0.0	17	1	5.9	1	5.9	11.8
男40-49	0	0	0.0	0	0.0	0.0	0	0	0.0	0	0.0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0.0
男50-59	0	0	0.0	0	0.0	0.0	0	0	0.0	0	0.0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0.0
男60-69	9	2	22.2	1	11.1	33.3	5	0	0.0	1	20.0	20.0	5	0	0.0	0	0.0	0	0.0	7	0	0.0	0	0.0	0	0.0	9	1	11.1	0	0.0	11.1
男70-74	7	0	0.0	1	14.3	14.3	5	0	0.0	2	40.0	40.0	5	0	0.0	0	0.0	0	0.0	6	0	0.0	0	0.0	0	0.0	8	0	0.0	1	12.5	12.5
男40-64	3	1	33.3	1	33.3	66.7	1	0	0.0	0	0.0	0.0	2	0	0.0	0	0.0	0	0.0	1	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0.0
男65-74	13	1	7.7	1	7.7	15.4	9	0	0.0	3	33.3	33.3	8	0	0.0	0	0.0	0	0.0	12	0	0.0	0	0.0	0	0.0	17	1	5.9	1	5.9	11.8
女性総数	2	0	0.0	1	50.0	50.0	4	2	50.0	0	0.0	50.0	3	0	0.0	0	0.0	0	0.0	5	0	0.0	0	0.0	0	0.0	5	0	0.0	0	0.0	0.0
女40-49	0	0	0.0	0	0.0	0.0	0	0	0.0	0	0.0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0.0
女50-59	0	0	0.0	0	0.0	0.0	1	1	100.0	0	0.0	100.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	1	0	0.0	0	0.0	0.0
女60-69	0	0	0.0	0	0.0	0.0	0	0	0.0	0	0.0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0.0
女70-74	2	0	0.0	1	50.0	50.0	3	1	33.3	0	0.0	33.3	3	0	0.0	0	0.0	0	0.0	5	0	0.0	0	0.0	0	0.0	4	0	0.0	0	0.0	0.0
女40-64	0	0	0.0	0	0.0	0.0	1	1	100.0	0	0.0	100.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	1	0	0.0	0	0.0	0.0
女65-74	2	0	0.0	1	50.0	50.0	3	1	33.3	0	0.0	33.3	3	0	0.0	0	0.0	0	0.0	5	0	0.0	0	0.0	0	0.0	4	0	0.0	0	0.0	0.0

(イ) メタボリックシンドローム該当者の減少率(総数・性別)

総数						[%]
年度	H30	R01	R02	R03	R04	
根羽村	27.8	35.7	0.0	0.0	9.1	
飯伊圏域	23.5	21.1	17.4	20.2	20.1	
県	20.9	20.5	17.2	20.2	20.2	
男性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	25.0	30.0	0.0	0.0	11.8	
飯伊圏域	22.2	21.1	16.3	19.9	18.3	
県	19.7	19.1	16.0	18.7	19.0	
女性						[%]
年度	H30	R01	R02	R03	R04	
根羽村	50.0	50.0	0.0	0.0	0.0	
飯伊圏域	27.1	21.3	20.5	21.2	25.3	
県	23.9	23.9	20.2	23.9	23.2	

男性40代						[%]	女性40代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	0.0	0.0		根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	28.6	25.4	15.4	26.7	17.9		飯伊圏域	9.1	18.2	18.2	33.3	30.8	
県	23.7	23.3	19.1	20.5	23.7		県	23.8	21.5	20.7	19.7	21.8	
男性50代						[%]	女性50代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	0.0	0.0	0.0	0.0	0.0		根羽村	0.0	100.0	0.0	0.0	0.0	
飯伊圏域	23.2	25.2	12.8	24.3	21.6		飯伊圏域	20.7	23.5	9.7	40.7	17.1	
県	19.4	17.0	16.2	19.8	18.8		県	20.8	25.5	20.6	22.1	22.4	
男性60代						[%]	女性60代						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	33.3	20.0	0.0	0.0	11.1		根羽村	0.0	0.0	0.0	0.0	0.0	
飯伊圏域	23.0	19.7	14.3	20.7	17.9		飯伊圏域	29.5	20.2	19.3	17.4	25.4	
県	19.5	18.5	15.3	18.7	17.8		県	25.0	22.5	19.5	23.4	22.7	
男性70-74歳						[%]	女性70-74歳						[%]
年度	H30	R01	R02	R03	R04		年度	H30	R01	R02	R03	R04	
根羽村	14.3	40.0	0.0	0.0	12.5		根羽村	50.0	33.3	0.0	0.0	0.0	
飯伊圏域	20.0	21.0	18.6	17.8	18.0		飯伊圏域	26.7	22.1	23.0	20.9	26.2	
県	19.5	19.6	16.2	18.4	19.3		県	23.4	24.9	20.6	24.6	23.7	